

Digital Imports

CATALOGUE WS

DI Wholesale Coded Catalogue Index

Digital Imports wholesale coded / suggested product Index

- A. Aerials
- B. Dishes - LNB's - Brackets
- C. Set Top Boxes (Receivers)
- D. Connectors
- E. Coaxial Splitters and Taps
- F. Mounting Hardware
- G. Masthead Hardware
- H. Modulators
- I. Multiswitches and DDM's
- J. Amplifiers
- K. HDMI - IR - AV
- L. Cables
- M. Fibre
- N. Digital Distribution
- O. EZI Fix
- R. Power Supplies (PSU)
- S. TV and Audio
- U. Data - WiFi Solutions

Remarks: 48 Pages

A. Aerials

AERIALS

Aerials Category Index

We offer a large range of Aerials designed and manufactured to exacting standards. Look for aerials that are certified for LTE (4g/5g) protection when selecting for Freeview DTT

- A. Aerials
 - a.1 UHF
 - a.2 FM
 - a.3 4G - 5G

Remarks: Page 1 of 5

a.1 UHF

105450

DIGI 6, LTE 700, Ch 21-48 - Replaces 108380

Designed for Digital reception
 Ch 21-48 LTE protected
 Gain 474 MHz (Ch21) 7.8 dBi
 602 MHz (Ch 37) 8.7 dBi
 694 MHz (Ch 48) 10.0 dBi
 Front to back 14dB
 Rejection @758 MHz (CH 56) 7.8dB

Brand: Triax

Remarks: LTE Rejection

105460






Digi 10, LTE 700, ch 21-48 Yagi








Interference protection from LTE 700 & 800 signals
 Mechanical filtering for higher gain
 Corrosion and weather proof dipole housing
 Designed to receive DTT signals in the 470...694 MHz range
 Gain max 13 dBi
 Gain @ 474 MHz (Ch. 21) 9.5 dBi
 Gain @ 694 MHz (Ch. 48) 12.1 dBi
 Gain @ 602 MHz (Ch. 37) 9.2 dBi

Brand: Triax


Bulk Qty Available: ☒
 QTY'S 10+,30+,50+

Remarks: LTE Rejection

Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas	
105470 	Digi 14, LTE 700, Ch 21-48 Boxed High Gain Yagi Designed for Digital reception - Great for low signal areas Ch 21 - 48 LTE protected - By Design. Gain 474 MHz (Ch21) 10.9dB 602 MHz (Ch 29) 11.1dB 694 MHz (Ch 45) 13.5 dB Rejection @ 758 Mhz Ch 56 -3.3dB Rejection @ 788 Mhz Ch 60 - 8.3dB Front to back 23dB Brand: Triax Bulk Qty Available:  QTY'S 10+,30+,50+ Size: 1085mm Remarks: LTE Rejection
105550 	Unix 32, LTE 700, ch 21-48 Quick and easy installation with semi-assembled aerials Mechanical filtering for higher gain Reliable high-quality aerials secures end-consumer satisfaction Corrosion and weather proof dipole housing Designed to receive DTT signals in the 470...694 MHz range Gain 12.5 max dBi Gain @ 474 MHz (Ch. 21) 12.4 dBi Gain @ 694 MHz (Ch. 48) 11.2 dBi Gain @ 602 MHz (Ch. 37) 11.8 dBi Brand: Triax Size: 777mm x 580mm
105560 	Unix 52, LTE 700, ch 21-48 TRIAX UHF LTE 700 Aerials Disruption free installation from rooftop to outlet. Interference protection from LTE 700 signals Quick and easy installation with semi-assembled aerials Mechanical filtering for higher gain Reliable high-quality aerials secures end-consumer satisfaction Corrosion and weather proof dipole housing Designed to receive DTT signals in the 470...694 MHz range Access to reliable, expert support from TRIAX Brand: Triax Size: 580 x 1394mm Remarks: 14.5 dBi Gain
105570 	Unix 100 el, ch 21-48 (Colour Box) TRIAX UHF LTE 700 Aerials Disruption free installation from rooftop to outlet. Interference protection from LTE 700 & 800 signals Quick and easy installation with semi-assembled aerials Mechanical filtering for higher gain Reliable high-quality aerials secures end-consumer satisfaction Corrosion and weather proof dipole housing Designed to receive DTT signals in the 470...694 MHz range Access to reliable, expert support from TRIAX Gain 17 max dBi Gain @ 474 MHz (Ch. 21) 13.3 dBi Gain @ 602 MHz (Ch. 37) 16.2 dBi Gain @ 694 MHz (Ch. 48) 13.9 dBi Brand: Triax Size: 580 x 2343mm Remarks: 17 dBi Gain

108007 	Dual Panel Phased array UHF Aerial LTE700 TRIAX Digi Grid aerials - UHF flat panel TV antenna. With high gain and an excellent front to back ratio this aerial ensures perfect TV reception. The reflector grid is galvanised ensuring long service life. The aerial has a very even gain curve and is suitable for stacking. Channels 21...50 LTE 4G & 5G Gain 9...13 dBi Front to back ratio - horizontal 20 dB All elements are screwed for resonance protection. Suitable for Vertical or Horizontal Mounting Size: 545mm x 805mm Remarks: Wind load @42 m/s = 78N	Brand: Triax Bulk Qty Available:  QTY'S 10+
108008 	Mini Grid antenna LTE 700 Mini Grid antenna LTE 700 Gain 3...9 dBi Small & efficient High gain compared to size All elements screwed in place for high wind loading and resonance protection Suitable for Vertical or Horizontal Mounting Size: 410x430mm Remarks: Channel 21...48	Brand: Triax Bulk Qty Available:  QTY'S 10+
108194 	TX20L LTE 700 Log Periodic Suitable for poor reception conditions, with reflections (shadows) but where signal level is OK Rear mounted F-connector. Flat wideband response. Good impulse noise rejection for stable digital reception. Rugged construction. Gain 4...9 dBi Gain @ 474 MHz (Ch. 21) 5 Typ dBi Gain @ 602 MHz (Ch. 37) 8.0 typ dBi LTE Rejection Remarks: LTE Rejection	Brand: Triax
108381B 	Triax 10 Element Yagi CH 21-50 LTE700 Plastic Bag/BOX 20 Supplied in complete box of 20 Aerials, Aerials in plastic bags. Strong, rugged construction 10 Element, Group T, UHF Antenna, 470-690 MHz 13dBi Gain (max) Excellent F/B ratio >15dB Designed to mitigate 4G/LTE 700 interference Pre-assembled, quick install reflector Gain 7...13 dBi Gain @ 474 MHz (Ch. 21) 8 Typ dBi Gain @ 602 MHz (Ch. 37) 10.5 Typ Remarks: Bulk 20 Pack includes freight	Brand: Triax Bulk Qty Available: 

a.2 FM

100188 	Triax FM Omnidirectional Aerial Gain 2.0 dB 1 Element	Brand: Triax UPC 5702661001888
--	--	---

105110

Triax FM Aerial 3 Element




Small and convenient FM antenna 75 Ohm.
Suitable for reception at Band 2
Quick install clip on dipole
Impedance matched balun
Weather proof with F connector
Gain 6.0 dB
Front to back ratio 16 dB
Weight 1.3kg

Brand: Triax

B. Dishes - LNBs - Brackets

SATELLITE



Satellite Dishes / LNBs / Brackets Category Index

Triax Satellite dishes are built to the highest of standards and provide the best signal gains in their class.

B. Dishes / LNBs / Brackets

- b.1 Dishes
- b.2 Dish Kits
- b.3 Portable dishes
- b.4 Automatic dishes
- b.5 LNBs and Brackets

Remarks: Page 1 of 6

b.1 Dishes

DISH SIZE



Single Satellite Dish Sizes

- b.1 Dishes
 - b.1.1 60cm Satellite Dishes
 - b.1.2 65cm Satellite Dishes
 - b.1.3 80cm Satellite Dishes
 - b.1.5 100cm Satellite Dishes

b.1.2 65cm Dishes

120504

TDA 65A RAL 7016, single pack 65cm Aluminium Dish Boxed



TRIAx TD Dishes The difference is clear - GEN 2 Dish includes Alloy LNB bracket and Wingnut Nuts.
Manufactured and tested to the highest standards of precision and quality, TRIAX's easy-to-install dishes offer outstanding performance, durability and reliability.
TDA: Aluminium
Unrivalled build quality, Aluminium

- long lasting Aluminium - for extra corrosion protection
- TRIAX's unique cable protection system
- Every part, every accessory is weatherproofed
- 2 years corrosion warranty
- 5 years functionality warranty
- High gain for an exceptional signal
- One-click mounting system
- Self-locking screw & nuts

Brand: Triax

TRIAx is your reliable partner, with comprehensive service and support.

Remarks: 1 Box

120612

TDS 65 Single Boxed Dish



Colour RAL 7016
Solid construction of all parts
Anti corrosive galvanised steel with polyester coating
Non slip mast brackets
Made in Europe
Three year warranty
Single Boxed Dish - NO LNB

Brand: Triax

Size: Dish size 60x65cm

b.1.3 80cm Dishes

120510

TDS 80A Gen 2 80CM Satellite Dish

Brand: Triax



TRIAX TD Dishes The difference is clear
Manufactured and tested to the highest standards of precision and quality, TRIAX's easy-to-install dishes offer outstanding performance, durability and reliability.

TDS: Steel

Unrivalled build quality,

- Hot-dip galvanized steel - for extra corrosion protection
- TRIAX's unique cable protection system

80CM GEN 2 Dish

Size: 80cm

Remarks: TDS

b.1.5 100cm Dishes

120518

TDS 100LG RAL 7035, singlepack 100Cm Dish

Brand: Triax



100cm - Gen 2 Dish

Manufactured and tested to the highest standards of precision and quality, TRIAX's easy-to-install dishes offer outstanding performance, durability and reliability.

TDS: Steel

- Hot-dip galvanized steel for extra corrosion protection
- TRIAX's unique cable protection system
- Every part, every accessory is weatherproofed
- 2 years corrosion warranty
- 5 years functionality warranty
- High gain for an exceptional signal
- Quick and easy installation
- One-click mounting system
- Self-locking screw & nuts

Size: 97 x 87 cm

Remarks: Supplied in 1 box

b.2 Dish Kits

122671

Dish Kit TDS 65 Dish x 5, Ral 7016 1 Complete Pack of 5

Brand: Triax



5 x TD65cm Triax Satellite Dishes -Next Gen Model
Dark Colour - RAL7016
Contractor Pack
All supplied in one handy pack

Remarks: 5 x Dish only no LNB

122671B

Triax TDS 65 Dish x 5 and 5 x LNB Pack

Brand: Triax



5 x TDS 65cm Triax Satellite Dishes - Next Gen Model
5x 10750 LNB's (304440)
Dark Colour RAL 7016
Contractor Pack
All supplied in one handy pack

Remarks: Includes 5 x 10750 LNB

122672




TDA Contractor Pack of 5 TDA65 Aluminium Dishes

Brand: Triax





5 x TDA65cm Triax Aluminium Satellite Dishes with Aluminium LNB Holder -Next Gen Model
Dark Colour - RAL7016
Contractor Pack
All supplied in one handy pack
No LNB


Remarks: ALU Dish with ALU LNB Holder - No LNB

Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
DISHKIT3		Triax TDS 65cm Dish, LNB, Roof Mount 1 x Triax TDS 65cm Dish - Next Gen Model 1 x Triax 10750 LNB (304440) 1 x Roof mount kit (FLEXI1) Supplied in one box Brand: Triax
DISHKIT4		Triax TDS 65cm Dish , LNB and Wall Mount 1 x Triax TDS 65cm Dish - Next Gen Dish 1 x Triax 10750 LNB (304440) 1 x Wall Mount (FOOT) Supplied in one box Brand: Triax
DKTD64		Triax TDS 65cm Dish and LNB Pack 1 x Triax TDS 65cm Dish - Next Gen Dish 1 x Triax 10750 LNB (304440) Supplied in one box Brand: Triax Remarks: Popular Item





b.3 Portable Dishes

TD54		Camper 54 Portable Satellite Dish Kit Unique fold up tripod stand design Official Triax Brand 54CM Dish HD - 4K Ready Kit Includes: 10750 LNB, 10M RG6 Quick Connect Cable Supplied in a handy retail box. The dish is pre-assembled and will take 2 mins to clip together. Brand: Triax Size: 54cm Dish Remarks: 4K Ready
TPD54		Triax 54cm Portable Dish including cable and instructions Top of the line Triax Portable Dish Heavy duty triangular base - Withstands wind. Adjustable legs for easy levelling Supplied boxed with full instructions and elevation stickers. The reception quality of this dish is outstanding. Includes> 10M of Premium RG6 solid copper cable. Quality Triax 10750 LNB Easy to align elevation system. 2 Years Warranty - Supplied boxed. Brand: Triax Remarks: Retail Boxed


b.4 Automatic Dishes

SKYRIDER	Skyrider Technisat 65cm Automatic Dish	
	<p>With the SKYRIDER 65, a satellite receiver specially designed for use in camper vans and mobile homes, which guarantees the greatest possible TV and radio variety while on the go via satellite.</p> <p>The heart of the SKYRIDER 65 is the controller unit, a small box that you place inside your camper van. The unit is connected to the satellite antenna on the roof and, at the other end, the controller is connected to a receiver such as a satellite receiver or television.</p> <p>Device Size 67.00 x 18.50 x 98.00 cm Weight 13.55 Kg Gain 35.7 dBi Supplied with 10750 Triax LNB Pre Loaded as default for Optus D1. Aprox. 30-180 seconds search Time Auto Shut Down wire 12/24VDC</p>	<p>Brand: TechniSat</p>
	<p>Size: 175mm Folded</p> <p>Remarks:</p>	

b.5 LNBs and Brackets

129426	TD-Series, Plastic LNB-holder Replaces 129422	
	<p>TD-Series, Plastic LNB-holder</p>	<p>Brand: Triax</p>
	<p>Remarks: For Gen 2 TD Dishes</p>	
304855	Triax 10750 LNB	
	<p>Triax Quality Single 10750 LNB Horizontal and Vertical poles Rubber boot cable protection 0.3 dB Noise 2 Year warranty</p>	<p>Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+</p>
	<p>Remarks: LO 10750</p>	<p>UPC 5702663048553</p>
304859	Triax LNB 11300	
	<p>Triax Single Quality LNB 11300 Horizontal and Vertical poles Rubber boot cable protection 0.3 dB Noise 2 Year warranty</p>	<p>Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+</p>
	<p>Remarks: LO 11300</p>	<p>UPC 5702663048591</p>
LNBBRKTNZ	SKY Dish LNB Adaptor NZ Model	
	<p>LNB Bracket Suitable for Sky Satellite Dishes</p>	<p>Brand: OEM</p>

C. Set Top Boxes (Receivers)

SET TOP BOXES	Set Top Box (Receivers) Category Index	
	<p>We have a range of STB's from Satellite / Terrestrial and IPTV to Hybrid options</p> <p>C. Set Top Box (Receivers) c.1 Satellite c.2 Terrestrial c.3 IPTV</p>	<p>Remarks: Page 1 of 2</p>

c.1 Satellite

DSR4022



Philips Neoviu S2 Satellite Receiver

DVB S2 Satellite receiver with front USB socket for PVR function.
1 x HDMI Output
1 x SCART Output
12VDC operation and supplied 230VAC PSU
Preloaded with Freeview and 10750 LNB
Simple operation small and compact - easy to use and Philips reliability make this a nice receiver.

Brand: Philips

Size: 145x90x32mm

UPC 7640186960854

MINIVX



RV Tech Mini VX Satellite Receiver - Sky Card - HDMI 12V

Mini VX Satellite Receiver
DVBS/S2 Full HD
12VDC Operation includes Cig Leed
230VAC Plug Pack Supplied
HDMI Cable Supplied
Remote IR Bug Included
Remote Control
Sky Card Slot - Works with all Sky Cards.
Preloaded with Freeview and Sky Channels

Brand: RV Tech

Bulk Qty Available: ☒

QTY'S 10+

Size: 110x105x25mm

SHD20



SHD20A Micro Ultimate Satellite Receiver

SHD20 (Gen3) Ultimate Micro Satellite Receiver

Micro sized DVBS2 HDMI satellite receiver
HDMI output & Composite output - Cables included Incl 500mm HDMI
IR bug - with channel display, power & standby LEDs
USB record from EPG , Time shift functions
12VDC operation
230VAC operation from supplied plug pack
Mount behind TV - bracket and mounting option supplied

Brand: RV Tech

Bulk Qty Available: ☒

QTY'S 10+

Size: 120 x 75 x 20mm

c.2 Terrestrial

T3



TERRABOX T3 DTT Receiver


The TechniSat Terrestrial receiver is our new Freeview compatible Receiver
DVB-T/T2 with H.265/HEVC and H.264
LCN Support
Recording function via USB (DVRready)
The remote can control both: receiver and TV - TV Learning function
ISI mode: simplified device control
SEMI Twin Tuner
LED Display
HDMI and EURO-SCART
Internet radio function
Full 1080p Output and amazing picture quality

Brand: TechniSat

TechniSat is a high quality German company renowned for top quality products and innovation.

UPC 4019588049277

D. Connectors




COAXIAL	Connectors Category Index
	<p>We offer a large range of connectors suitable for all types of Coaxial cables</p> <p>D. Connectors</p> <p>d.1 F Type Connectors</p> <p>d.2 RG11 Connectors</p> <p>d.3 Adaptors</p> <p>Remarks: Page 1 of 5</p>

d.1 F Type Connectors




153224	F Compression Connector - Short Short Sized Triax F Compression Connector To Be Used With Compression Tool 370042 Size: 5.1/6.8 Remarks: Available in bags of 100pcs Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+,100+
153250	F Push On Connector Self Install - No Tool Required Used On RG6 Cable Size: 5.1/6.8 Remarks: Available in boxes of 25 Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+,100+
360913	Triax F Compression 5,1/6,8 - Long Long Sized Triax F Compression Connector To Be Used With Compression Tool 360919 Size: 5.1/6.8 Remarks: Available in bags of 100pcs Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+,100+
75FC	Radial F Crimp Radial Crimp Connector To be Used With Radial Crimp Tool Suits RG6 Cable Sky Approved Size: 5.1/6.8 Remarks: Available in bags of 100pcs Brand: OEM Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
75FT	F Twist On Connector Easy Install Twist On Connector For RG6, No Tool Required Alternative Code 370039, 370001 Size: 5.1/6.8 Remarks: Available in bags of 100pcs Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
RG59T	F Twist On RG59 Connector Twist Connector For RG59 Cable Size: 5.1/6.8 Remarks: Available in bags of 100pcs Brand: OEM Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
RG59WC	F Radial Crimp RG59 Connector Radial Crimp Connector For RG59 Cable Size: 5.1/6.8 Remarks: Available in bags of 100pcs Brand: OEM Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+









Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas	
SKYCOMPNZ	
SKYNZ Approved Compression Connector for Quad, Tri, RG6	
<p>Designed for CATV, DBS, DSS and broadband installations. Compatible with all application frequencies.</p> <p>Engineered from precision machined copper alloy, UV protected POM, PVC and rubber</p> <p>Mil spec bright nickle plating on all metal parts.</p> <p>The ANYTOOLTM design works with ANY standard compression tool.</p>	
<p>Brand: OEM</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>	




d.2 RG11 Connectors





153231	RG11 F Crimp	
	<p>RG11 Hex Connector For Commercial RG11 Cable</p> <p>Size: 7.6/11.7</p>	<p>Brand: Triax</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>
711571	RG11 F Compression Connector	
	<p>Cablecon RG11 Compression Connector</p> <p>To Be used With 360920 Compression Tool</p> <p>Top quality RG11 connector.</p> <p>Size: 10.5</p>	<p>Brand: Cable Con</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>
711572	RG11 F Compression Connector	
	<p>Triax RG11 Compression Connector</p> <p>To Be used With 360920 Compression Tool</p> <p>Top quality RG11 connector</p> <p>Size: 11.3</p>	<p>Brand: Cable Con</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>

d.3 Adapters


153076	F Female/F Female Joiner	
	<p>Alternative Code 75FJ</p>	<p>Brand: Triax</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>
153095	F Female/F Female Joiner	
	<p>Triax Extra Long F Joiner</p> <p>A+ Standard</p> <p>3 GHZ Rated High Quality Connector</p>	<p>Brand: Triax</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>
153592 - 75FFA	F Female/F Male Angled Adaptor	
	<p>High Performance Right Angled F Type Adaptor</p> <p>Alternative Code 75FFA</p>	<p>Brand: Triax</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>

Satellite Reception				Terrestrial Reception		IPTV		Dishes		Amplifiers		Receivers		Headends		Antennas	
153593		F Female/F Female Joiner Triax F Joiner With Nut Included										Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+					
		Remarks: Available in bags of 5pcs															
153613		F Female/Belling Lee Male Adaptor Alternative Code 75FM Convert Triax 360913 F Compression Into Belling Lee Male										Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+					
																	
153614		F Female/Belling Lee Female Adaptor Alternative Code 75FF Convert Triax 360913 F Compression Into Belling Lee Female										Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+					
																	
75FA		F Female/F male Angled Joiner Right Angled F Type Adaptor										Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+					
																	
75FF		F Female to Belling Lee Female Adaptor Alternative Code 153614 Convert Triax 360913 F Compression Into Belling Lee Female										Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+					
																	
75FJ		F Female/F Female Joiner Alternative Code 153076										Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+					
																	
75FM		F Female/Belling Lee Male Adaptor Alternative Code 153613 Convert Triax 360913 F Compression Into Belling Lee Male										Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+					
																	
75FMF		F Male/Belling Lee Female Adaptor Converts Belling Lee Male Into F Type Male										Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+					
																	



Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
75FMM	F Male/Belling Lee Male Adaptor Converts Belling Lee Female Into F Type Male	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
75FPF	Belling Lee Female/Belling Lee Female Joiner Converts From Belling Lee Male To Belling Lee Female	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
75FQ	F Female/F Male Quick Adaptor Commercial Grade Quick Male F Type Connector For RG6 Cable	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
75FQH	F Female/F Male Quick Adaptor High Performance Quick Male F Type Connector For RG6 Cable	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
75FRCA	F Female/RCA Male Adaptor Convert F Type Male Into RCA Male	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
75FRCAF	F Female/RCA Female Adaptor Convert F Type Male Into RCA Female	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
75MM	Belling Lee Male/Belling Lee Male Joiner Join 2 Female Belling Lee Sockets	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
75RAF	F Female/Belling Lee Female Adaptor Right Angled Belling Lee Adaptor	Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		









Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
75RAM	F Female/ to right angle Belling Lee Male Adaptor Right Angled Belling Lee Adaptor Alternative Code 153550	Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
75T	F Terminating Connector 75 Ohm F Terminator	Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
BNCBNC	BNC to BNC Joiner F to F BNC Joiner	Brand: OEM
		
FBNC	F Female/BNC Adaptor Convert F Female To BNC Male	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		



E. Coaxial Splitters / Taps

SPLITTERS - TAPS	Coaxial Splitters and Taps Category Index
	E. Coaxial Splitters and Taps e.1 Splitters e.2 Taps
	Remarks: Page 1 of 7


e.1 Splitters

340110	Triax Sat Diplexer Inputs: sat and uhf Output: sat and uhf combined Connection type: F-type Tv Input range: 5-860MHz Loss 2.0dB Sat Input range: 950-2400MHz Loss 2.0/3.0dB Output range: 5-2400MHz Power pass: On satellite leg	Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
349806	Triax 6 Way Splitter All ports power pass - diode steered 5-2400MHz Side entry Insertion loss (in-out) 40-1000 Mhz 11.5 dB Insertion loss (in-out) 5-40 Mhz 10.8 dB Insertion loss (in-out) 1000-2150 MHz 15.5 dB	Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+ UPC 5702663498266
		

Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas								
349808	 <div>Triax 8 Way Splitter<p>All ports power pass - diode steered 5-2400MHz Side entry</p><table><tr><td>Insertion loss (in-out) 40-1000 Mhz</td><td>13.0 dB</td></tr><tr><td>Insertion loss (in-out) 5-40 Mhz</td><td>11.8 dB</td></tr><tr><td>Insertion loss (in-out) 1000-2150 MHz</td><td>16.5 dB</td></tr></table></div> <div>Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</div> <div>UPC 5702663498082</div>	Insertion loss (in-out) 40-1000 Mhz	13.0 dB	Insertion loss (in-out) 5-40 Mhz	11.8 dB	Insertion loss (in-out) 1000-2150 MHz	16.5 dB	
Insertion loss (in-out) 40-1000 Mhz	13.0 dB							
Insertion loss (in-out) 5-40 Mhz	11.8 dB							
Insertion loss (in-out) 1000-2150 MHz	16.5 dB							
349822	 <div>Triax 2 Way Splitter<p>SCS 2 All ports power pass - diode steered 5-2400MHz Side entry</p><table><tr><td>Insertion loss (in-out) 40-1000 Mhz</td><td>4.0 dB</td></tr><tr><td>Insertion loss (in-out) 5-40 Mhz</td><td>4.4 dB</td></tr><tr><td>Insertion loss (in-out) 1000-2150 MHz</td><td>5.5 dB</td></tr></table></div> <div>Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</div> <div>UPC 5702663498228</div>	Insertion loss (in-out) 40-1000 Mhz	4.0 dB	Insertion loss (in-out) 5-40 Mhz	4.4 dB	Insertion loss (in-out) 1000-2150 MHz	5.5 dB	
Insertion loss (in-out) 40-1000 Mhz	4.0 dB							
Insertion loss (in-out) 5-40 Mhz	4.4 dB							
Insertion loss (in-out) 1000-2150 MHz	5.5 dB							
349823	 <div>Triax 3 Way Splitter - Replaces 349803<p>All ports power pass - diode steered 5-2400MHz Side entry</p><table><tr><td>Return loss (in-out) 1000-2150 MHz</td><td>13.0 dB</td></tr><tr><td>Return loss (in-out) 2150-2400 MHz</td><td>13.0 dB</td></tr><tr><td>Return loss (in-out) 40-1000 MHz</td><td>12.0 dB</td></tr></table></div> <div>Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</div> <div>UPC 5702663498037</div>	Return loss (in-out) 1000-2150 MHz	13.0 dB	Return loss (in-out) 2150-2400 MHz	13.0 dB	Return loss (in-out) 40-1000 MHz	12.0 dB	
Return loss (in-out) 1000-2150 MHz	13.0 dB							
Return loss (in-out) 2150-2400 MHz	13.0 dB							
Return loss (in-out) 40-1000 MHz	12.0 dB							
349824	 <div>Triax 4 way Splitter Replaces 349804<p>All ports power pass - diode steered 5-2400MHz Side entry</p><table><tr><td>Insertion loss (in-out) 40-1000 Mhz</td><td>7.5 dB</td></tr><tr><td>Insertion loss (in-out) 5-40 Mhz</td><td>6.5 dB</td></tr><tr><td>Insertion loss (in-out) 1000-2150 MHz</td><td>10.0 dB</td></tr></table></div> <div>Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</div> <div>UPC 5702663498044</div>	Insertion loss (in-out) 40-1000 Mhz	7.5 dB	Insertion loss (in-out) 5-40 Mhz	6.5 dB	Insertion loss (in-out) 1000-2150 MHz	10.0 dB	
Insertion loss (in-out) 40-1000 Mhz	7.5 dB							
Insertion loss (in-out) 5-40 Mhz	6.5 dB							
Insertion loss (in-out) 1000-2150 MHz	10.0 dB							
SDPF	 <div>Starview Terrestrial/Satellite Combiner<p>Starview side entry Satellite / Terrestrial Diplexer Loss 5-862 <3dB Loss 950-2400 <3.5dB</p></div> <div>Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</div>							
SSF2	 <div>Starview 2 way Splitter Power Pass to all Ports<p>All ports power pass - diode steered 5-2400MHz Front Entry</p><table><tr><td>Loss 5-40</td><td>4.2dB</td></tr><tr><td>Loss 40-1000</td><td>5.0dB</td></tr><tr><td>Loss 1000-2050</td><td>5.8dB</td></tr></table></div> <div>Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</div>	Loss 5-40	4.2dB	Loss 40-1000	5.0dB	Loss 1000-2050	5.8dB	
Loss 5-40	4.2dB							
Loss 40-1000	5.0dB							
Loss 1000-2050	5.8dB							
SSF3	 <div>Starview 3 Way Splitter Power Pass to all Ports<p>All ports power pass - diode steered 5-2400MHz Front Entry</p><table><tr><td>Loss 5-40</td><td>7.5dB</td></tr><tr><td>Loss 40-1000</td><td>8.2dB</td></tr><tr><td>Loss 1000-2050</td><td>10.5dB</td></tr></table></div> <div>Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</div>	Loss 5-40	7.5dB	Loss 40-1000	8.2dB	Loss 1000-2050	10.5dB	
Loss 5-40	7.5dB							
Loss 40-1000	8.2dB							
Loss 1000-2050	10.5dB							
SSF4	 <div>Starview 4 Way Splitter Power Pass to all Ports<p>All ports power pass - diode steered 5-2400MHz Front Entry</p><table><tr><td>Loss 5-40</td><td>8.2dB</td></tr><tr><td>Loss 40-1000</td><td>8.5dB</td></tr><tr><td>Loss 1000-2050</td><td>11.0dB</td></tr></table></div> <div>Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</div>	Loss 5-40	8.2dB	Loss 40-1000	8.5dB	Loss 1000-2050	11.0dB	
Loss 5-40	8.2dB							
Loss 40-1000	8.5dB							
Loss 1000-2050	11.0dB							




SSF6 	Starview 6 Way Splitter Power Pass to all Ports All ports power pass - diode steered 5-2400MHz Front Entry Loss 5-40 11.2dB Loss 40-1000 12.5dB Loss 1000-2050 16.5dB	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
SSF8 	Starview 8 Way Splitter Power Pass to all Ports All ports power pass - diode steered 5-2400MHz Front Entry Loss 5-40 12.0dB Loss 40-1000 13.0dB Loss 1000-2050 17.5dB	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+









F. Mounting Hardware









MOUNTING 	Mounting Hardware Category Index Digital Imports provide a huge range of mounting options. Our mounts are a mixture from our own manufacturing plant using NZ steel, Local sourced suppliers and imported products to fill the gaps. F. Mounting Hardware f.1 Terrestrial Mount Kits f.2 Satellite Mount Kits f.3 Fixed Stays f.4 Telescopic Stays f.5 Portable Mounts f.6 Mounting Parts f.6.1 Bases f.6.2 Poles
--	---



Remarks: Page 1 of 9

f.1 Terrestrial Mount Kits






DIAM1000 	Aerial mount 1M Pole Galv - Steel Stays Flexi Mount for Aerials Flexi Base 1.0M Mast Complete with Fixed Stays and U-Bolts Galv Product Supplied with all bolts and tek screws	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
DIAM1000K 	Aerial Mount kit 1M Galv - Aluminium Stays Flexi Mount for Aerials Flexi Base, 1.0M Mast Complete with Fixed Stays and U-Bolts Galv Base and Mast, Aluminium Stays Supplied with all bolts and tek screws	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
DIAM1500 	Aerial mount 1.5 M Pole Galv - Steel Stays Flexi Mount for Aerials Flexi Base, 1.5M Mast Complete with Fixed Stays and U-Bolts Galv Product Supplied with all bolts and tek screws	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+







Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
DIAM1500K	 <p>Aerial Mount Kit 1.5M Galv - Aluminium Stays</p> <p>The Flexi Mount for Aerials Flexi Base, 1.5M Mast Complete with Fixed Stays and U-Bolts Galv Base and Mast, Aluminium Stays Supplied with all bolts and tek screws</p> <p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>	
DIAM2000	 <p>Aerial Mount Kit 2M Pole Galv - Steel Stays</p> <p>The Flexi Mount for Aerials Flexi Base, 1900mm Mast Complete with Fixed Stays and U-Bolts Galv Product Supplied with all bolts and tek screws Size: 1900mm Height Mast</p> <p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>	
DIHS1000	 <p>Hockey Stick 1M</p> <p>25mm Pipe, 1000mm Plastic Top Cap Galv Dipped Steel</p> <p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>	
DIHS1200	 <p>Hockey Stick 1200mm</p> <p>25mm Pipe, 1200mm Plastic Top Cap Galv Dipped Steel</p> <p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>	
DIHS1500	 <p>Hockey Stick 1500mm</p> <p>25mm Pipe, 1200mm Plastic Top Cap Galv Dipped Steel</p> <p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>	
DIHS2000	 <p>Hockey Stick 2000mm</p> <p>25mm Pipe, 2000mm Plastic Top Cap Galv Dipped Steel</p> <p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>	
DIHS500	 <p>Hockey Stick 500mm</p> <p>25mm Pipe, 500mm Plastic Top Cap Galv Dipped Steel</p> <p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>	
DIRM1000	 <p>Ridgemount 1000mm Pipe</p> <p>Mast with flexible base , 1000mm Galv dipped steel Comes with 4 Tek Screws</p> <p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>	


Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
DIRM300	Ridgemount 300mm Pipe  Mast with flexible base , 300mm Galv dipped steel Comes with 4 Tec Screws	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
DIRM500	Ridgemount 500mm Pipe  Mast with flexible base , 500mm Galv dipped steel Comes with 4 Tek Screws	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
HS500	Hockey Stick 500mm - 32mm Pipe  500mm Hockey Stick 150mm from plate to bend 32mm Pipe Galv Dipped Plastic Top Cap	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
HS900	Hockey Stick 900mm  900mm Hockey Stick 30mm Pipe Galv Dipped Plastic Top Cap Drain Hole	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
JPOLE	J-Pole Mount with U bracket  The J-Pole clamps to the back of a Satellite Mount so you can mount UHF or FM aeralis in the same space	Brand: SV
MAST1000	1000mm Aerial Mast and Base ONLY..  AM Roof mount Base, and 1M Aerial Mast Pole Only. DIAM1000 Kit without Stays or bolts. For those who like to choose TELE Stays for Aerial Mounts	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+
MAST1500	1500mm Aerial Mast and Base ONLY  AM Roof mount Base, and 1.5M Aerial Mast Pole Only. DIAM1500 Kit without Stays or bolts. For those who like to choose TELE Stays for Aerial Mounts	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+
MAST2000	2.0M Aerial Mast and Base - No stays  AM Roof mount Base, and 2M Aerial Mast Pole Only. DIAM2000 Kit without Stays or bolts. For those who like to choose TELE Stays for Aerial Mounts	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+

Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
S-POLE		S Pole Aerial Mount solution for Satellite mount kits S-Pole Mount, Great product for mounting an aerial to a Satellite mount. 2 x V-clamps Galv dipped product Aprox 1480mm high Size: 1480mm Long Brand: SV
S-POLE1200		S Pole Mount soultion 1200 Shorter Pole S-Pole Mount, Great product for mounting an aerial to a Satellite mount. 2 x V-clamps Galv dipped product 1200mm from top to bottom Aprox. Brand: SV







f.2 Satellite Mount Kits

131092		25cm Aluminium Wall Bracket High Quality Wall Bracket for Euroline Dishes or 6-15 Element Aerials Suitable for harsh environments 2.5mm Aluminium Brand: Triax Size: 48mm Diameter Remarks: Wall Mounting 155 x 155 x 3 mm UPC 5702661310928
131094		45cm Aluminium Wall Bracket High Quality Wall Bracket for Euroline Dishes or 6-15 Element Aerials Suitable for harsh environments Brand: Triax UPC 5702661310942
EVE		Standard Satellite Under Eve Mount Kit Galv dipped 2 Telescopic Stays Complete with bolts and screws Brand: SV
FLEXI-76		76mm Flexi Roof Mount Kit including Stays FLEXI 76 Kit: 76mm x 700mm Galv Pole Large base plate for roof mounting (420mm) 3 x base plates for Stay roof mounting with mounting stud (270mm) 3 x 700-1250mm Tele Stays Nuts and Bolt Kit including Tek screws 100% Made in NZ with NZ Steel Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> Size: 700mm x 76mm Remarks:
FLEXI1		Satellite Mount Kit 550mm Mast 550mm pole 2 Telescopic stays Suitable for 45-64cm satellite dishes Complete with all bolts and screws Our most popular Satellite mount - 420mm wide base for modern profile roofs Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+ Size: 44mm Pipe


Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
FLEXI2	 <p>Satellite Mount Kit Heavy Duty 800mm Mast</p> <p>800mm pole 2 Telescopic stays Suitable for 78-88cm satellite dishes Complete with all bolts and screws - 420mm wide base for modern profile roof</p> <p>Size: 44mm Pipe</p>	<p>Brand: SV</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>
Flexi_Lite	 <p>Flexi Mount Lite - Short Base - Eco price</p> <p>Special Flexi Mount with Short Base 550mm pole 2 Telescopic stays - Tele500, Tele700 Suitable for 45-64cm satellite dishes Complete with all bolts and tek screws - Now with 260mm wide base</p> <p>Size: 550mm Pipe Remarks: Short Base</p>	<p>Brand: SV</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>
FOOT	 <p>Simple Wall Mount</p> <p>Simple cost effective mount for Satellite Installations</p>	
STARLINK1	 <p>Starlink Internet Dish Mount Kit - 500mm</p> <p>Starlink Dish Mount Kit For use on New Zealand roofs New Zealand made mount 500mm Pole 2 x Tele 700 Stay</p> <p>Designed for use with the latest Rectangle Dish system. Made in New Zealand with NZ steel.</p> <p>Size: 500mm</p>	<p>Brand: SV</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>
STARLINK2	 <p>Starlink Internet Dish Mount Kit - 1000mm</p> <p>Starlink Dish Mount Kit - Extra high pole model. For use on New Zealand roofs New Zealand made mount 1000mm Pole 1 x Tele 700 Stay 1 x Tele 500 Stay</p> <p>Designed for use with the latest Rectangle Dish system.</p>	<p>Brand: SV</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>
STARLINK3	 <p>Starlink Internet Dish Mount Kit - 1800mm Aprox</p> <p>Starlink Dish Mount Kit - 1800mm Super high pole model. For use on New Zealand roofs New Zealand made mount Aprox. 1800mm Pole 2 x Tele 700 Stay</p> <p>Designed for use with the latest Rectangle Dish system where serious height is required to clear roofs or trees. Other lengths available on request</p> <p>Size: 1800mm Aprox Remarks: Unable to ship to Rural</p>	<p>Brand: SV</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+,50+</p>









WALL1 	Standard Wall Mount Kit Galvanised Steel 2 Telescopic Stays Complete with bolts and screws	Brand: SV
---	--	------------------

f.3 Fixed Stays

DISB10A 	1M Stay Ubolt Clamp Aluminum 1000mm Aluminium Stay with U-Bolt Clamp Size: 1000mm	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
DISB10G 	1M Stay Ubolt Clamp - Steel 1000mm Steel Stay with U-Bolt Clamp Size: 1000mm	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
DISB15A 	1.5 mtr Stay Clamp - Aluminum 1500mm Steel Stay with U-Bolt Clamp Size: 1500mm	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
DISB15G 	1.5M Stay Ubolt Clamp - Steel 1500mm Steel Stay with U-Bolt Clamp Size: 1500mm	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
DISB20G 	2.0M Stay Ubolt Clamp - Steel 2000mm Steel Stay with U-Bolt Clamp Size: 2000mm	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
UBOLT 	Ubolt Kit for Stays U-Bolt for 25mm Pole	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+

f.4 Telescopic Stays

TELE1000 	Tele Stay 1000mm Tele Stay 1000mm 1000 - 1700mm Galv Steel	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
--	--	--



Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
TELE1000U	1000mm - 1700mm Telestay with U Bolt  <p>Tele Stay 1000mm 1000 - 1700mm Galv Steel UBOLT</p>	<p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>
TELE1500	Tele Stay 1500mm  <p>Tele Stay 1500mm 1500 - 2250mm Galv Steel</p>	<p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>
TELE1500U	1500mm - 2250mm Telestay with UBOLT  <p>Tele Stay 1500mm 1500 - 2250mm Galv Steel UBOLT</p>	<p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>
TELE250	250mm Tele Stay  <p>Tele Stay 250mm 250 - 300mm Galv Steel</p>	<p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>
TELE500	500mm Tele Stay  <p>Tele Stay 500mm 500 - 900mm Galv Steel</p>	<p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>
TELE500U	500mm - 900mm Telestay with U Bolt  <p>Tele Stay 500mm 500 - 900mm Galv Steel UBOLT</p>	<p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>
TELE700	Tele Stay 700mm  <p>Tele Stay 700mm 700 - 1300mm Galv Steel</p>	<p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>
TELE700U	700mm - 1300 Telestay with UBOLT  <p>Tele Stay 700mm 700 - 1300mm Galv Steel UBOLT</p>	<p>Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+</p>

f.5 Portable Mounts






TRI	Portable Mount Heavy Duty Used to mount either 54 or 64 cm Triax Dish for portable applications	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
------------	---	--





f.6.1 Bases


DIUEB	Under Eve Bracket for Hockey Sticks Heavy Duty Under Eve mount for all DI Hockey Sticks Laser Cut / Folded	Brand: SV Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+,30+,50+
		
Flexi_Base	44mm Flexi Pole Mount Base Flexi mount base only (satellite mount base suitable for 44mm Poles) Pre-Galv Steel - 420mm long Lasercut from 1 piece steel with holes and slots designed for New Zealand modern roofs.	Brand: SV
	Size: 420mm x 63mm Remarks: For 44mm Poles	

f.6.2 poles





44POLE-1000	44mm Flexi Pole 1000mm Long 44mm Diameter Galv Dipped Pole for Flexi Roof Mounts 1000mm Long NZ Made Steel Use with (FLEXI BASE) & (TELESTAYS) to make your own custom roof kit. Suggested Tele Stays - 2 x TELE1000 Size: 44 x 1000mm	Brand: SV
		
44POLE-1200	44mm Flexi Pole 1200mm Long 44mm Diameter Galv Dipped Pole for Flexi Roof Mounts 1200mm Long NZ Made Steel Use with (FLEXI BASE) & (TELESTAYS) to make your own custom roof kit. Suggested Tele Stays - 1 x TELE1000 and 1 x TELE1500 Size: 44 x 1200mm	Brand: SV
		
44POLE-1500	44mm Flexi Pole 1500mm Long 44mm Diameter Galv Dipped Pole for Flexi Roof Mounts 1500mm Long NZ Made Steel Use with (FLEXI BASE) & (TELESTAYS) to make your own custom roof kit. Suggested Tele Stays - 1 x TELE1000 and 1 x TELE1500 Size: 44 x 1500mm	Brand: SV
		
44POLE-900	44mm Flexi Pole 900mm Long 44mm Diameter Galv Dipped Pole for Flexi Roof Mounts 900mm Long NZ Made Steel Use with (FLEXI BASE) & (TELESTAYS) to make your own custom roof kit. Suggested Tele Stays - 2 x TELE700 Size: 44 x 900mm	Brand: SV
		
76POLE-1000	76mm Flexi Pole 1000mm Long 76mm Diameter Galv Dipped Pole for heavy duty Roof Mounts 1000mm Long NZ Made Steel Use with (FLEXI 76 BASE) & (TELESTAYS) to make your own custom roof kit. Size: 76 x 1000mm	Brand: SV
		

76POLE-1200 	76mm Flexi Pole 1200mm Long 76mm Diameter Galv Dipped Pole for heavy duty Roof Mounts 1200mm Long NZ Made Steel Use with (FLEXI 76 BASE) & (TELESTAYS) to make your own custom roof kit. Size: 76 x 1200mm	Brand: SV
76POLE-900 	76mm Flexi Pole 900mm Long 76mm Diameter Galv Dipped Pole for heavy duty Roof Mounts 900mm Long NZ Made Steel Use with (FLEXI 76 BASE) & (TELESTAYS) to make your own custom roof kit. Size: 76 x 900mm	Brand: SV



G. Installation Accessories

INSTALLATION 	Installation Accessories Category Index G. Installation Accessories g.1 Wall Plates g.2 Bonding and Earthing g.4 Screws and Silicon g.5 Cable Clips g.6 Cable Ties Remarks: Page 1 of 4
---	--


g.4 Screws And Silicon

12GX35 	35mm Tek Screws Metal 35mm Metal tek Screw - 12 guage Remarks: 35mm
12GX65 	65mm Tek Screw Wood Wood Tek Screw -12 Guage Remarks: 65mm
14GX100 	100mm Tech Screw Wood 100mm Tech Screw - 14 gage Remarks: 100mm
N06Z 	M61.0p Zinc Full Nut M6 Nut - Mild Steel Used in DIUEB Brackets Size: M6




g.5 Cable Clips



<p>CCC100BLK</p> 	<p>7mm Coaxial clips for Masonry and Timber Surfaces -Black</p> <p>Cable clip Black suitable for RG6 Cables.</p> <p>Brand: OEM</p> <p>Remarks: Box of 100pcs</p>	
<p>CCC100W</p> 	<p>7mm Coaxial clips for Masonry & Timber Surfaces - White</p> <p>Cable Clip White - 7mm Suitable for Coax Cables</p> <p>Brand: OEM</p> <p>Remarks: Box 100pcs</p> <p>UPC 9340591005055</p>	

I. Multiswitches/ Distribution





<p>MULTISWITCH</p> 	<p>Multiswitch and Distribution Category Index</p> <p>I. Multiswitches and Distribution (Digital Distribution Modules)</p> <ul style="list-style-type: none"> i.1 Digital Modules i.2 Multiswitches <p>Remarks: Page 1 of 3</p>
---	---

i.1 Digital Modules

<p>CDM8</p> 	<p>Commercial 8 Way Distribution System</p> <p>Commercial Version of our popular DDM8 System.</p> <p>Features:</p> <ul style="list-style-type: none"> Can be powered from any of the TV outlets or from the 18VDC input. Switch to select 12VDC to power Masthead Amps. Separate Satellite / Terrestrial or combined input. COFDM Digital Modulator input. Designed for New Zealand and Digital Television. <= 1dBuV loss <p>Brand: SV</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+</p> <p>Size: 140 x 120 x 43mm Remarks: 18VDC PSU</p>
<p>DDM4</p> 	<p>Digital Distribution Module 4 Way</p> <p>Digital 4 basic Multiswitch is a cost effective way to distribute satellite, Digital TV and an RF return around your home.</p> <p>The Digital 4 is available as a standalone multiswitch or with a flush mounting cabinet. (350 x 275 x 90mm) -DDM8CAB</p> <p>No Loss +/-1dBuV per leg. - 18VDC F-Type power supply included.</p> <p>Brand: Starview</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+</p> <p>Remarks: Subscriber outputs x 4</p>
<p>DDM8</p> 	<p>Digital Distribution Module 8 Way</p> <p>Digital 8 basic Multiswitch is a cost effective way to distribute satellite, Digital TV and a RF return around your home.</p> <p>The Digital 8 is available as a standalone multiswitch or with a flush mounting cabinet. (350 x 275 x 90mm) DDM8CAB</p> <p>No Loss +/- 1dBuV per Leg 18VDC F-Type Power Supply included</p> <p>Brand: Starview</p> <p>Bulk Qty Available: <input checked="" type="checkbox"/></p> <p>QTY'S 10+,30+</p> <p>Remarks: Subscriber outputs x 8</p>


DDM8BRK 	DDM8 Bracket Bracket for mounting DDM4 or DDM8 in Signet style Cabinet. Brand: SV
DDM8CAB 	Flush mount cabinet for DDM8 module Flush mount Cabinet for DDM8 and DDM4 Multiswitch. Complete with Hinged Door Brand: SV

i.2 Multiswitches






318601 	TMS/CKR 5x6 S Multiswitch Standalone multiswitch for 1 Satellite position with 5 inputs and 6 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x6 S offers excellent performance and flexibility, with a compact design for installations even in confined spaces. Brand: Triax Remarks: 6 Year Warranty
318621 	TMS/CKR 5x8 S Multiswitch Standalone multiswitch for 1 Satellite position with 5 inputs and 8 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x8 S offers excellent performance and flexibility, with a compact design for installations even in confined spaces. Brand: Triax Remarks: 6 Year Warranty
318622 	TMS/CKR 5x12 S Multiswitch Standalone multiswitch for 1 Satellite position with 5 inputs and 12 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x12 S BS offers excellent performance and flexibility, with a compact design for installations even in confined spaces. Brand: Triax Remarks: 6 Year Warranty
318623 	TMS/CKR 5x16 S BS Multiswitch Standalone multiswitch for 1 Satellite position with 5 inputs and 16 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x16 S BS offers excellent performance and flexibility, with a compact design for installations even in confined spaces. Excellent performance Brand: Triax Remarks: 6 Year Warranty

Satellite Reception		Terrestrial Reception	IPTV	Dishes	Amplifiers	Receivers	Headends	Antennas
318624	TMS/CKR 5x24 S BS Multiswitch Standalone multiswitch for 1 Satellite position with 5 inputs and 24 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x24 S BS offers excellent performance and flexibility, with a compact design for installations even in confined spaces. Excellent performance Remarks: 6 Year Warranty							Brand: Triax
318625	TMS/CKR 5x32 S BS Multiswitch Standalone multiswitch for 1 Satellite position with 5 inputs and 32 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x32 S BS offers excellent performance and flexibility, with a compact design for installations even in confined spaces. Excellent performance Remarks: 6 Year Warranty							Brand: Triax UPC 5702663186255
MS406P	Starview 5 x 6 Multiswitch With Power Supply MS406P 5 x 6 Multiswitch with 22KHz Tone Outputs and +/- 2dB of Insertion Loss Starview Multiswitches are built to a high standard and come complete with full wiring digrams. They are designed to deliver the least loss on your digital system. All versions require power supplies and are supplied with a plug pack. Plug packs are connected to the multiswitch via an F Connector allowing you to have the power supply in a separate location to the multiswitch. Remarks: Subscriber outputs 6							Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+
MS408P	Starview 5 x 8 Multiswitch With Power Supply MS408P 5 x 8 Multiswitch with 22KHz Tone Outputs and +/- 2dB of Insertion Loss Starview Multiswitches are built to a high standard and come complete with full wiring digrams. They are designed to deliver the least loss on your digital system. All versions require power supplies and are supplied with a plug pack. Plug packs are connected to the multiswitch via an F Connector allowing you to have the power supply in a separate location to the multiswitch. Remarks: Subscriber outputs 8							Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+
MS412P	Starview 5 x 12 Multiswitch With power Supply MS412P 5 x 12 Multiswitch with 22KHz Tone Outputs and +/- 2dB of Insertion Loss Starview Multiswitches are built to a high standard and come complete with full wiring digrams. They are designed to deliver the least loss on your digital system. All versions require power supplies and are supplied with a plug pack. Plug packs are connected to the multiswitch via an F Connector allowing you to have the power supply in a separate location to the multiswitch. Remarks: Subscriber outputs 12							Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/> QTY'S 10+


J. Amps/ Filters /Mast


AMPS/FILTER/MAST	Amplifiers, Filters and Mast Products Category Index					
	<p>J. Amplifiers Domestic - Commercial</p> <ul style="list-style-type: none"> j.1 Domestic Amplifiers j.2 Commercial Amplifiers j.3 Masthead Electronics j.4 Attenuators j.5 Filters / Line Electronics <p>Remarks: Page 1 of 7</p>					

j.1 Domestic Amps





Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
334021 	LTE 2 Way IR Pass Amplifier Distributes IR to multiple TVs around the home - FM & DAB Allows control of Sky Digital receivers when used with Triax Digital Links 1 Input 2 Output Short circuit protected on each output Power on LED : F-Connectors Mains powered 9VDC/15mA on outputs Gain 10 +/-2 dB : 470-790 MHz	Brand: Wolsey UPC 5702663340213
334022 	LTE 4-Way IR Pass Amplifier Distributes IR to multiple TVs around the home - FM & DAB Allows control of Sky Digital receivers when used with Triax Digital Links 2 Input 4 Output Short circuit protected on each output Power on LED : F-Connectors Mains powered 9VDC/15mA on outputs Gain 10 +/-2 dB : 470-790 MHz	Brand: Wolsey UPC 5702663340220
334024 	LTE IR Pass Amplifier 8 Way -Wolsey Distributes IR to multiple TVs around the home - FM & DAB Allows control of Sky Digital receivers when used with Triax Digital Links 2 Input 8 Output Short circuit protected on each output Power on LED : F-Connectors Mains powered 9VDC/15mA on outputs Gain 10 +/-2 dB : 470-790 MHz	Brand: Wolsey UPC 5702663340244
334025 	LTE IR Pass Amplifier 12 Way _ Wolsey Distributes IR to multiple TVs around the home - FM & DAB Allows control of Sky Digital receivers when used with Triax Digital Links 2 Input 12 Output Short circuit protected on each output Power on LED F-Connectors Mains powered 9VDC/15mA on outputs Gain 10 +/-2 dB :85...790 MHz	Brand: Wolsey UPC 5702663340251
340012 	AFA Micro Amp UHF 12db, 5-12V UHF Gain 12db Max. Output level @ 60 dB IMD 95 dBμV Input 1 - frequency 470...862MHz 5-12VDC - 10...22 mA	Brand: Triax UPC 5702663400122

j.2 Commerical Amps



323142 	GHV530 Amplifier The GVH 530 is a low noise coaxial house distribution amplifier, for use in small CATV distribution networks in small building units. Optimized for 1 GHz technology Downstream 20/30dB amplification / high output level Adjustable potentiometer or click attenuater All connections are f connectors without return path Extensive ESD and surge protection Low power consumption Size: 170 x 100 x 65mm	Brand: Triax
---	--	---------------------



3461 	Independent amplifier IF-SAT AFI-190 Replaces 300385 Unit to amplify a satellite polarity 1 satellite 950-2450 MHz input port, with gain adjustment potentiometer; 1 terrestrial coupling 5-790 MHz input port; 1 satellite+Terrestrial output port; 1 output test port. • Line powering of LNB. Voltage/tone injection for selection of polarity and band by rotary commutator.	Brand: Triax
---	--	---------------------

J.3 Masthead




340101 	MFC 101 - Sat/TV Combiner Combines SAT IF & VHF/UHF into 1 Cable Waterproof housing & mast strap for mounting on Dish / Aerial mast A great method to use the same RG6 cable for satellite & terrestrial Saves time - great for situations where you are unable to run a new cable Input 1 - through loss 3.0 dB Input 2 - through loss 2.0 dB	Brand: Triax
370559 	Wolsey 25Db Gain Mast Head Amp with Power Supply F-Connector Masthead Amplifier and Power Supply Kit 1 Input 1 Output 10-25 dB Variable Gain Weatherproof housing Fully screened enclosure	Brand: Wolsey UPC 5702663705593
370564 	LTE Outdoor 2 Way Splitter 1 Input 2 Outputs 47...790 MHz (UHF Only) Input 1 - Loss <460 dB Power Pass on All Outputs DC Passthrough (12VDC / 400mA) F-Connectors Weatherproof Housing Fully Screened Enclosure	Brand: Wolsey UPC 5702663705647
370565 	LTE 4 way outdoor splitter wolsey brand - 1 Input 4 Outputs -- Loss <10 dB 47...790MHz (UHF Only) Bi-Directional Through Line Power Power Pass on All Outputs (12VDC / 400mA) F-Connectors Weatherproof Housing Fully Screened Enclosure	Brand: Wolsey UPC 5702663705654

j.4 Attenuators


153710 	Triax F conn attenuator 3 dB Attenuate your RF output by 3db 4-1000 MHz	Brand: Triax
153711 	Triax F conn attenuator 6dB Attenuate your RF output by 6db 4-1000 MHz	Brand: Triax

153712 	Triax F conn attenuator 10dB Attenuate your RF output by 10db 4-1000 MHz	Brand: Triax
153713 	Triax 20dB Antennuator Attenuate your RF output by 20db 4-1000 MHz	Brand: Triax


j.5 Filters/ Line Electronics

300401 	Triax Line Extender For amplifying a single line satellite distribution line in a Direct To Home (DTH) installation. Max output level 100 dBµV Frequency range 47-2300 MHz Gain 16...20 dB Size: 27mm x 82mm	Brand: Triax UPC 5702663004016
370650 	Triax Sat Slope Compensator Amp Triax Satellite Signal Amplifier with independent control for slope & gain Line power from the 18v feed of the receivers LNB input Frequency range 950...2300 MHz Gain 12 dB Slope control SAT 10 Attenuation 0...10 dB Size: 37mm x 102mm	Brand: Triax Remarks: DC Passthrough (11...20VDC / 40mA)
370706 	Triax DC Block in line F In line DC Blocker 5-2400 MHz	Brand: Triax




K. HDMI - IR - AV

HDMI - IR - AV 	HDMI - IR - AV Category Index K. HDMI - IR - AV k.1 HDMI Hardware k.2 IR Extension Remarks: Page 1 of 10
--	--


k.1 HDMI Hardware

HDMI Hardware 	HDMI Hardware Sub Category Index K.1 HDMI Hardware k.1.1 HDMI Matrices k.1.2 HDMI Extenders k.1.3 HDMI IP Extenders k.1.4 HDMI Splitters k.1.5 HDMI Converters k.1.6 HDMI Accessories Remarks: Pages 1 of 10
--	--

k.1.1 Matrices

Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
HD4X4	HDMI Matrix - 4 HDMI to 4 HDMI	
	<p>Easy to use: install in seconds. Allows up to four HDMI audio/video devices to be independently switched to four HDMI monitors, HDTVs, or projectors. The four outputs can show the same or different sources simultaneously whether the source is HDCP or not. Each port supports HDMI or DVI inputs. With extra infrared receiver extension. Two switching modes: panel buttons, local IR. HDCP compliant. 1080p support EDID, RS232port v1.4</p>	<p>Brand: Helix</p>
HDSS2-2	HDMI Switcher 2 in 2 out	
	<p>Watch One of Two HDMI Sources On One Or Two TV's 1080p, 4K Remote Included 1 Year Warranty</p>	<p>Brand: Helix</p>
HDSS2-4	HDMI Switcher 2 in x 4 out	
	<p>Watch One of Two HDMI Sources On Up To Four TV's 1080p, 4K Remote Included 1 Year Warranty</p>	<p>Brand: Helix</p>

k.1.2 Extenders

HD122	Hdmi Splitter 1x2 with 2 CAT5e/6 Extenders 70M	
	<p>1 HDMI Input to 2 Cat5E/6 Extenders with POC (power over cable)</p> <p>Brand: Helix</p> <ul style="list-style-type: none"> - HDMI 1.4, HDCP 1.4 and DVI 1.0 compliant - Support video resolution up to 4k2k@30Hz YUV 4:4:4 - The maximum transmission distance via a single CAT6/5e cable is as follows: 230ft/70m for 1080p, 131ft/40m for 4K30 - Support copying EDID from receiver display or loop out display - Allow for cascading via additional HDMI loop out port - Support one-way POC functionality (from transmitter to receiver) - One-way IR signal transmission - Compact design for easy and flexible installation <p>The goto product if your require HDMI distrubution to 4 points. Includes 2 receivers and 1 transmitter.</p> <p>Helix making installation simple. Also available in 4 and 8 way kits</p>	


<div>Satellite Reception</div> <div>Terrestrial Reception</div> <div>IPTV</div> <div>Dishes</div> <div>Amplifiers</div> <div>Receivers</div> <div>Headends</div> <div>Antennas</div>		
<div>HD124</div> 	<div>Hdmi Splitter 1x4 with 4 x extender 50m</div> <div>1 HDMI Input to 4 Cat5E/6 Extenders with POC (power over cable)</div> <div>Brand: Helix</div> <ul style="list-style-type: none"> - HDMI 1.4, HDCP 1.4 and DVI 1.0 compliant - Support video resolution up to 4k2k@30Hz YUV 4:4:4 - The maximum transmission distance via a single CAT6/5e cable is as follows: 230ft/70m for 1080p, 131ft/40m for 4K30 - Support copying EDID from receiver display or loop out display - Allow for cascading via additional HDMI loop out port - Support one-way POC functionality (from transmitter to receiver) - One-way IR signal transmission - Compact design for easy and flexible installation <p>The goto product if your require HDMI distrubution to 4 points. Includes 4 receivers and 1 transmitter.</p> <p>Helix making installation simple. Also available in 2 and 8 way kits</p>	
<div>HD128</div> 	<div>Hdmi Splitter 1x8 with 8 x extender 50m</div> <div>1 HDMI Input to 8 Cat5E/6 Extenders with POC (power over cable)</div> <div>Brand: Helix</div> <ul style="list-style-type: none"> - HDMI 1.4, HDCP 1.4 and DVI 1.0 compliant - Support video resolution up to 4k2k@30Hz YUV 4:4:4 - The maximum transmission distance via a single CAT6/5e cable is as follows: 230ft/70m for 1080p, 131ft/40m for 4K30 - Support copying EDID from receiver display or loop out display - Allow for cascading via additional HDMI loop out port - Support one-way POC functionality (from transmitter to receiver) - One-way IR signal transmission - Compact design for easy and flexible installation <p>The goto product if your require HDMI distrubution to 4 points. Includes 8 receivers and 1 transmitter.</p> <p>Helix making installation simple. Also available in 2 and 4 way kits</p>	
<div>Remarks: Includes 8 x Receivers</div>		
<div>HD4K124</div> 	<div>18Gbps HDMI 2.0 1x4 way Splitter 60M CAT,4K</div> <div>HDMI extender to 4 CAT Receivers same as HD124 but 4K 60hz.</div> <div>Brand: Helix</div> <ol style="list-style-type: none"> 1. HDMI 2.0b, HDCP 2.2 2.18Gbps video bandwidth, up to 4K2K@50/60Hz 4:4:4 3. Support HDR, HDR10+, HLG and Dolby vision 4. Support up to 7.1CH HD audio pass-through 5. Support digital and analogue audio de-embedded output 6. Extend transmission distance up to 35m at 4K2K@60Hz, 50m at 4K2K@30Hz, 60m at 1080P@60Hz via a single CAT6/6a/7 cable 7. Support 1 HDMI input, 1 HDMI loop output and 4/8 Cat outputs. 8. Support one-way IR control signal pass-through 9. Advanced EDID management 10. Support one-way PoC function <p>Complete Kit 4 Receivers and Transmitter</p>	
<div>Remarks: Includes 4 Receivers</div>		

<div>Satellite Reception</div> <div>Terrestrial Reception</div> <div>IPTV</div> <div>Dishes</div> <div>Amplifiers</div> <div>Receivers</div> <div>Headends</div> <div>Antennas</div>		
HD4KP2PARC 	4K@60HZ HDBaseT Extender with ARC, RS232, CEC, POC <p>HD BaseT Extender.</p> <ul style="list-style-type: none"> - HDCP 2.2 / HDCP 1.x and DVI 1.0 compliant - Support 18Gbps video bandwidth - Video resolution is up to 4k2k@60Hz YUV 4:4:4 - Transmission distance via a single CAT6a/7 cable up to 230ft / 70m at 1080P@60Hz; 164ft / 40m at 4K@60Hz 4:4:4 - Support ARC (Audio Return Channel) function - With bi-directional IR, RS-232 and CEC pass-through - HDR and Dolby Vision supported - Support PoC (Power over Cable) function 	Brand: Helix
HDAO 	Digital Audio Extender over Cat 5e/6 Cable <p>Extend optical and coaxial digital audio signals up to a distance of 300m (48kHz), 150m (96kHz) or 100m (192kHz) over a single CAT cable</p> <p>Optical and coaxial digital signal can be distributed at the same time</p> <p>Built-in DAC (Digital to Analog Converter)</p> <p>converts either optical or coaxial digital (selectable) to analog stereo left/right audio output (PCM only)</p> <p>Support sample rates 32 kHz, 44.1 kHz, 48 kHz, 96 kHz and 192 kHz up to 24-bit resolution</p> <p>Support LPCM, DTS, Dolby Digital and Dolby Digital Plus when used as a straight digital in/digital out extender</p> <p>Support one-way POC function.</p> <p>The transmitter is powered on by the receiver through the CAT cable.</p>	Brand: Helix
HDES01-IR-L 	HDMI Extender over Cat , 70M-IR - Loop Through & POE <ul style="list-style-type: none"> - HDMI 1.4, HDCP 1.4 and DVI 1.0 compliant - Support video resolution up to 4k2k@30Hz YUV 4:4:4 - The maximum transmission distance via a single CAT6/5e cable is as follows: 230ft/70m for 1080p, 131ft/40m for 4K30 - Support copying EDID from receiver display or loop out display - Allow for cascading via additional HDMI loop out port - Support one-way POC functionality (from transmitter to receiver) - One-way IR signal transmission - Compact design for easy and flexible installation <p>The goto product if your require a Point to Point HDMI over CAT cable.</p> <p>Also available in 2 , 4 and 8 (HD122, HD124, HD128) output versions all with supplied receivers.</p> <p>Helix making installation simple.</p>	Brand: Helix
HDP2P4K 	HDMI Point to Point 4K Extender with PoC <p>HDMI Extender 18GBPS over 50M single CAT6</p> <p>HDMI 2.0</p> <p>HDCP 2.2</p> <p>IR</p> <p>7.1 CH</p> <p>4K 60Hz</p> <p>HDR</p> <p>Loop through</p>	Brand: Helix

k.1.4 Splitters


HD1X8 	HDMI 1 x 8 Splitter Support HDMI 1.4b Support 3D video format Resolution up to 3840x2160/30Hz Support 3.2Gbps data rate for TMDS clock up to 320MHz Support deep color 8/10/12bit support AWG26 HDMI standard cable: when the resolution is 1080p and below, input up to 15 metres, output up to 25 metres. when the resolution is 4K, input up to 12 metres, output up to 15 metres. Support displaying single source, multi-output high-definition signal source from DVD player A/V receiver, set-top box DC 12V/5A power supply	Brand: Helix
HDES02 	Mini HDMI Splitter 1x2 Usb Powered USB Powered 2 way HDMI Splitter , 4K, 1080p Compatible	Brand: Helix
HDSP2 	HDMI 2 Way Splitter Watch One HDMI Source On Two TV's 1080p, 3D 1 Year Warranty	Brand: Helix
HDSP4 	HDMI 4 Way Splitter Watch One HDMI Source On Up To Four TV's - HDMI 2.0b, HDCP 2.2 compliant - Support 18G Up to 4K2K@60Hz with 24bit RGB/YCBCR 4:4:4 - VESA format up to QSXGA@60Hz - HDR, Dolby Vision pass through - Support LPCM 7.1CH, Dolby TrueHD, and DTS-HD Master Audio 6. Built-in Equalizer, Retiming and Driver - Smart EDID, AUTO(compare) mode and TV(copy OUT1) mode	Brand: Helix



k.1.5 Converters

HD4KTOS 	HDMI to Toslink (R/L) Adaptor 4K HDMI Audio De Embedder *HDMI 2.0b, HDCP 2.2 compliant *Up to 4K2K@60Hz with 24bit RGB/YCBCR 4:4:4 *HDR, HDR10, HDR10+,Dolby Vision pass through *Supports LPCM 7.1CH, Dolby TrueHD, and DTS-HD Master Audio *Digital and analog audio de-embedded *Built-in Equalizer, Retiming and Driver *EDID management * Toslink Out , and 3.5mm L/R Audio out (Cable not included) *Compact design for an easy and flexible installation	Brand: Helix
--	---	---------------------


<div>Satellite Reception</div> <div>Terrestrial Reception</div> <div>IPTV</div> <div>Dishes</div> <div>Amplifiers</div> <div>Receivers</div> <div>Headends</div> <div>Antennas</div>		
HDAD 	Analogue to Digital Audio Converter <p>The Analog to Digital Audio Converter is designed to simultaneously convert analog audio signals from L/R input to Coaxial S/PDIF and Toslink Optical outputs. The digital audio output signal is a 2-channel uncompressed LPCM (Linear Pulse Code Modulation) with a sampling rate of 48 KHz. Optical, Fibre, and Coaxial cables can run up to 5 metres from the device while still providing a reliable and lossless audio signal. This gadget is both compact and easy to install, making it incredibly useful for the home or office. Supports uncompressed 2-channel LPCM (Linear Pulse Code Modulation) digital audio signal output.</p> <p>Has an output sampling rate of 48 KHz. Provides electromagnetic-noise-free transmission. Easy to install and operate.</p>	Brand: Helix
HDARC 	HDMI ARC - Audio Return Channel Adaptor <p>ARC Audio Return Adaptor extracts the audio from the HDMI into an optical output. Supports all major Audio Video Formats</p>	Brand: Helix
HDARC2 	HDMI ARC Audio Extractor <p>ARC Audio Extractor</p> <ul style="list-style-type: none"> - Input: HDMI x 1; Output: 3.5mm L/R x1, RCA x 2 - ARC Enabled: Extract audio signal from ARC - (Audio Return Channel) enabled HDTV to analog stereo output, for audio receiver/amplifier/headphone applications - Support PCM audio to 2 channel stereo audio output - Support CEC function (TV remote can control the volume) 	Brand: Helix
HDARC4K 	18Gbps 4K HDMI eARC Extractor <p>eARC Extractor</p> <ul style="list-style-type: none"> - HDMI 2.0b, HDCP 2.3 compliant; - Up to 4K2K@60Hz with 24bit RGB/YCBCR 4:4:4; - VESA format up to QSXGA@60Hz; - HDR, HDR10, HDR10+, Dolby Vision pass through; - Supports LPCM 7.1CH, Dolby TrueHD, and DTS-HD Master Audio; Built-in Equalizer, Retiming and Driver; - EDID management; - Dedicated HDMI out for audio only with 720p black screen; - Support eARC/ARC audio extract to HDMI audio port out; - Support CEC; 	Brand: Helix
HDARCDM 	HDMI ARC Audio Down-mixer <p>ARC Audio Down-Mixer</p> <ul style="list-style-type: none"> - Dolby, DTS licensed - Input: HDMI x 1; - Output: 3.5mm L/R x1, RCA x 2 - ARC Enabled: Extract audio signal from ARC, (Audio Return Channel) enabled HDTV to analogue stereo output, for audio receiver/amplifier/headphone applications - Support PCM 2.0, Dolby 5.1, DTS 5.1 audio - downmix to 2 channel stereo audio output - Support CEC function (TV remote can control the volume) 	Brand: Helix

k.1.6 Accessories


HDMICECMF 	HDMI CEC Blocking Female/ Male Adapter <p>Blocks CEC commands from device to TV and vice versa</p>	Brand: OEM
--	---	-------------------

Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
HDPROT 	HDMI Protector HDMI Protection. -ESD Protection -5V protection -Spark protection	Brand: Helix
HDREP 	18G HDMI 2.0 Repeater HDMI Repeater - HDMI 2.0b, HDCP 2.2 . Support 18Gbps , - Support HLG, HDR 10, HDR 10+ and dolbyvision - Built-in TMDS equalization and CDR (Clock Rate Recovery) for extending HDMI cable distance - Distance up to 8m at the resolution of 4K2K@50/60Hz(YUV_444), 15m at 4K2K@60Hz(YUV_420) and 20m at 1080p@60Hz - Require the HDMI source device to output power to the unit via an HDMI cable - Simple plug and play	Brand: Helix


k.2 IR Extension

IRXF 	Starview Wired Remote Extender IR Extender - Over Coax Sends IR controls down an existing coax cable , Kit contains 1 Receiver & 1 Transmitter Works with My Sky IR freq 35-41 kHz IR Receiving range >=5M Carrier Freq 11MHz -ASK Control adjust 0-10dBuV Power Supply included 12VDC Will work through Splitters, Diplexers, and between legs of a Multi Switch	Brand: Starview
--	---	------------------------





L. Cables

CABLE 	Cable Category Index L. Cables I.1 Coax I.2 Data I.3 HDMI I.4 AV - Composite I.5 Cable - Wire Remarks: Page 1 of 7
--	---




I.1 Coax

151611 	Triax RG6 Coax Cable PVC Koka 110 A+ White 100m Drum A triple shielded class A+ coaxial cable, which delivers high quality transportation of TV/Video signal with low LTE interference. This cable is the right choice if you require a clear TV-picture without pixilation. Class A+ (EN 50117-2-4) & PE cable (EN 50117-2-5) High quality materials means long durability High performance even over long distances LTE protected – tinned copper braid & two layered foils protect signals Size: Coax 6.8mm Remarks: 100M Roll Brand: Triax
---	--

Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
151613	Triax RG6 Coax Cable PE Koka 110 A+ Black 100m Drum A triple shielded class A+ coaxial cable, which delivers high quality transportation of TV/Video signal with low LTE interference. This cable is the right choice if you require a clear TV-picture without pixilation. Class A+ (EN 50117-2-4) & PE cable (EN 50117-2-5) High quality materials means long durability High performance even over long distances LTE protected – tinned copper braid & two layered foils protect signals PE jacket is ideal for outdoor installations. Size: Coax 6.8mm Remarks: 100M Roll - INDENT	Brand: Triax
151614	Triax RG6 Coax Cable PE Koka 110 A+ Black 250m Drum A triple shielded class A+ coaxial cable, which delivers high quality transportation of TV/Video signal with low LTE interference. This cable is the right choice if you require a clear TV-picture without pixilation. Class A+ (EN 50117-2-4) & PE cable (EN 50117-2-5) High quality materials means long durability High performance even over long distances LTE protected – tinned copper braid & two layered foils protect signals PE jacket is ideal for outdoor installations. Size: Coax 6.9mm Remarks: 250M Roll - INDENT	Brand: Triax
151616	Triax KOKA 110 A+ Class - LSZH White 100m Reel - A triple shielded class A+ coaxial cable, which delivers high quality transportation of TV/Video signal with low LTE interference. This cable is the right choice if you require a clear TV-picture without pixilation. Class A+ (EN 50117-2-4) & PE cable (EN 50117-2-5) High quality materials means long durability High performance even over long distances LTE protected – tinned copper braid & two layered foils protect signals LSZH (Low Smoke Zero Halogen) jacket is ideal where fire resistance is a requirement. INDENT ONLY - Usless Stock Available Size: Coax 6.8mm Remarks: 100m Roll -INDENT	Brand: Triax
370766	Triax RG6 Coax Cable CCS PVC Black 250m Drum RG6/ U - PVC black, 250m reel, Coax Cable Dielectric - dimension 4.6 mm Dielectric - material PE foamed Jacket – dimension 6.50 mm Rated according to CPR EN50575 Fire standard Fca Size: Coax 7mm Remarks: 250M Roll	Brand: Triax
370768	Triax RG6 Coax Cable CCS PVC White 250m Drum RG6/ U - PVC White, 250m reel, Coax Cable Dielectric - dimension 4.6 mm Dielectric - material PE foamed Jacket – dimension 6.50 mm Rated according to CPR EN50575 Fire standard Fca Size: Coax 7mm Remarks: 250M Roll	Brand: Triax
CAB1	1M RG6 Hookup Cable F to F 1m F Type F / F Cable	Brand: Helix

CAB10 	10M RG6 Camper Hookup Cable F to F 10m F Type F / F Cable Size: 10m	Brand: Helix
CAB2 	2M RG6 Hookup Cable F to F 2M F Type F / F Cable Size: 2 Meter	Brand: Helix
CAB500 	500mm RG6 Hookup Cable F to F 500mm F Type F / F Cable Size: 500mm	Brand: Helix
CFQ1 	1.5m F Type Quick Connection Cable Quick Connect Lead. Great for Fly Leads from TV to Wall Plate. Portable Satellite Dishes. Angled Quick Connectors -F Type Size: 1.5M	Brand: Starview



I.3 HDMI

370715 	1.5m High Speed HDMI Cable 1.5m High Speed HDMI cable with Ethernet Professional grade, high quality HDMI cable for a perfect high definition reception HDMI Ethernet Channel Audio Return Channel 24K Gold Plated Connectors,3D 4K Resolution Support Inner conductor - dimension 28 AWG mm	Brand: Triax UPC 5702663707153
370716 	2.0m High Speed HDMI Cable 2m High Speed HDMI cable with Ethernet Professional grade, high quality HDMI cable for a perfect high definition reception HDMI Ethernet Channel Audio Return Channel 24K Gold Plated Connectors,3D 4K Resolution Support Inner conductor - dimension 28 AWG mm	Brand: Triax UPC 5702663707160
370717 	3.0m High Speed HDMI Cable 3m High Speed HDMI cable with Ethernet Professional grade, high quality HDMI cable for a perfect high definition reception HDMI Ethernet Channel Audio Return Channel 24K Gold Plated Connectors,3D 4K Resolution Support Inner conductor - dimension 28 AWG mm	Brand: Triax UPC 5702663707177

Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
370718 	5.0m High Speed HDMI Cable 2m High Speed HDMI cable with Ethernet Professional grade, high quality HDMI cable for a perfect high definition reception HDMI Ethernet Channel Audio Return Channel 24K Gold Plated Connectors, 3D 4K Resolution Support Inner conductor - dimension 26 AWG mm	Brand: Triax UPC 5702663707184
370719 	10m HDMI Cable 10m Standard Speed HDMI cable with Ethernet Professional grade, high quality HDMI cable for a perfect high definition reception HDMI Ethernet Channel Audio Return Channel 24K Gold Plated Connectors, 3D Compact EMI Interface Suppressed Inner conductor - dimension 26 AWG mm	Brand: Triax
370720 	15m HDMI Cable 15m Standard Speed HDMI cable with Ethernet Professional grade, high quality HDMI cable for a perfect high definition reception HDMI Ethernet Channel Audio Return Channel 24K Gold Plated Connectors, 3D Compact EMI Interface Suppressed Inner conductor - dimension 24 AWG mm	Brand: Triax
370721 	20m HDMI Cable 20m Standard Speed HDMI cable with Ethernet Professional grade, high quality HDMI cable for a perfect high definition reception HDMI Ethernet Channel Audio Return Channel 24K Gold Plated Connectors, 3D Compact EMI Interface Suppressed Inner conductor - dimension 24 AWG mm	Brand: Triax
370722 	1m HDMI Cable With Ethernet High Speed HDMI Cable With Ethernet	Brand: Wolsey UPC 5702663707221
370723 	2m HDMI Cable With Ethernet High Speed HDMI Cable With Ethernet	Brand: Wolsey
370724 	3m HDMI Cable With Ethernet High Speed HDMI Cable With Ethernet	Brand: Wolsey UPC 5702663707245

370725 	5m HDMI Cable With Ethernet High Speed HDMI Cable With Ethernet Brand: Wolsey UPC 5702663707252
370726 	10m HDMI Cable With Ethernet High Speed HDMI Cable With Ethernet Brand: Wolsey UPC 5702663707269
HDMI1000 	1m HDMI Cable Starview High Speed HDMI Cable with ethernet 1M long Gold plated plus with ferrites for improved performance and reduced interference Brand: Starview
HDMI1000BX10 	HDMI 1M cables with ferrites - Box of 10 Contractor box of 10 HDMI1000 hook up cables, With ferrites great for HD124 and HDMI extender kits and device connection Brand: SV Starview High Speed HDMI Cable with ethernet 1M long Gold plated plus with ferrites for improved performance and reduced interference Size: 1M Remarks: Box of 10
HDMI600 	0.6m HDMI Cable Hook up 0.6m Performance HDMI Cable with ethernet With Ferrites for EMF protection and gold plated plugs Great HDMI Patch Cable Helix High Speed HDMI Cable with ethernet 1M long Brand: Helix Size: 600mm Remarks: Box of 10
HDMI600BX10 	HDMI Hook up cables with ferrites - Box of 10 Contractor box of 10 HDMI600 hook up cables, With ferrites great for HD124 and HDMI extender kits Helix High Speed HDMI Cables with ethernet 600mm long Gold plated plus with ferrites for improved performance and reduced interference Brand: Helix Size: 600mm

I.4 AV - Composite








AOPT 	Optical Audio Cable Standard TOS Link Cable. High Quality Cable. Brand: Starview Size: 1.5M
AOPTM 	Optical Audio Cable Type 2 High Quaility TOS Link Cable. Standard TOS Link to 3.5mm Toslink Plug. Suitable for Apple Air Port Brand: Starview Size: 1.5M

N. Digital Distribution


DIGITAL	Digital Distribution Category Index
	<p>N. Digital Distribution Solutions, Headends and Equipment</p> <ul style="list-style-type: none"> n.1 TDX n.2 TDH800 n.3 Modulators n.4 Cat TV n.5 DRM Servers n.6 Ikuzi HT Modules n.7 Casting n.8 Compact Headends n.9 Ikuzi Flow
Remarks: Page 1 of 13	



n.3 Modulators

300128	Triax HDMI to COFDM Modulator -With Loop and IR <p>MOD103T HDMI to COFDM Modulator Watch + control HD content at each TV location using existing coax cable infrastructure</p> <p>Compact design All inputs and outputs on one side for ease of installation Full HD Video and HDMI Loop through IR Control when used with Digital Links and IR Pass Amplifiers Combine multiple modulators together for more HD channels on your network – watch different sources on different TV's</p> <p>IR Emitter required at HDMI source (supplied) Compatible with HDMI sources Ideal solution for domestic and commercial installations</p> <p>All inputs and outputs on one side for ease of installation Full HD Video and HDMI Loop through IR Control when used with Digital Links and IR Pass Amplifiers IR Sensor & 2 RF Outputs Output combined with existing RF signals Channel 21-69 Supplied with 230VAC to 12VDC F Power Supply.</p> <p>Size: 106 x 32 x 220mm Remarks: HDMI Loop out and IR</p>	<p>Brand: Triax</p>
370228	Triax Digital Link <p>The Triax Digital Link will allow control of your digital receiver whilst viewing in other rooms around the home. The Triax Digital Link is compatible with receivers with an output marked RF-OUT2 that takes a second TV output together with a 9 volt DC supply Designed to work with the TriLink Kits and Triax HDMI Modulators 37.9kHz Carrier Output Signal Frequency - On-Off Keyed 7MHz Carrier Line</p> <p>Size: 80mm x 100mm</p>	<p>Brand: Triax</p> <p>UPC 5702663702288</p>
DM-02TH	Domestic Digital HDMI modulator basic <p>Simple HDMI Modulator for Domestic Only Installations. HDMI In HDMI Out RF In RF Out AV In through 3.5mm 12VDC Plug Pack</p>	<p>Brand: OEM</p>



Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas			
EF1334	30mm Data Saddle and Tie, Blue	 <p>30mm Data Saddles - Blue S.W.L. 5kg Included Cable Tie</p> <p>Brand: Ezi-Fix</p> <p>Remarks: 5Kg Hold</p>	
EF1394	30mm Data Saddle and Tie, Black	 <p>30mm Data Saddles - Black S.W.L. 5kg Included Cable Tie</p> <p>Brand: Ezi-Fix</p> <p>Remarks: 5Kg Hold</p> <p>UPC 837710000392</p>	
EF2094	Black 50mm M-6 Boss	 <p>50mm Threaded Boss Fasteners</p> <p>Brand: Ezi-Fix</p> <p>Remarks: Boss of M6 Bolt</p>	
EF2194	Black 50mm M-10 Boss	 <p>50mm Threaded Boss Fasteners</p> <p>Brand: Ezi-Fix</p> <p>Remarks: Boss for M10 Bolt</p>	
EF2204	Natural 50mm Saddle	 <p>50mm Data Saddles - Natural S.W.L. 10kg</p> <p>Brand: Ezi-Fix</p> <p>Remarks: 10Kg Hold</p>	
EF2294	Black 50mm Saddle	 <p>50mm Data Saddles - Black S.W.L. 10kg</p> <p>Brand: Ezi-Fix</p> <p>Remarks: 10Kg Hold</p>	
EF2994	Black 50mm M-8 Boss	 <p>50mm Threaded Boss Fasteners</p> <p>Brand: Ezi-Fix</p> <p>Remarks: Boss for M8 Bolt</p>	

o.2 Pipe Clips





EF1584	Grey 16mm Pipe Clip	 <p>Adhesive Pipe Clip Fasteners Size: 16mm</p> <p>Brand: Ezi-Fix</p> <p>Remarks: 16mm OSD Pipe</p>	
---------------	----------------------------	--	--

EF1684	Grey 20mm Pipe Clip	 <p>Adhesive Pipe Clip Fasteners Size: 20mm</p> <p style="text-align: right;">Brand: Ezi-Fix</p> <p style="text-align: right;">Remarks: 20mm OSD Pipe</p>
EF1784	Grey 25mm Pipe Clip	 <p>Adhesive Pipe Clip Fasteners Size: 25mm</p> <p style="text-align: right;">Brand: Ezi-Fix</p> <p style="text-align: right;">Remarks: 25mm OSD Pipe</p>








o.3 Bases

EF1891	Socket Base Black	 <p>Adhesive 413 Socket Base Fasteners Suitable for Bubble Plugs, and Junction boxes (Square or round)</p> <p style="text-align: right;">Brand: Ezi-Fix</p>
EF5414	White Ezi-Screws - Bag of 100	 <p>Original Ezi-Screw Gib anchors Bag of 100</p> <p style="text-align: right;">Brand: Ezi-Fix</p> <p style="text-align: right;">Remarks: Price is for Bag 100pcs</p>


o.4 Primer & Tape

EF0033	Primer Can Clear	 <p>FX-10 Primer Aerosol 150gm spray can - Clear</p> <p style="text-align: right;">Brand: Ezi-Fix</p> <p style="text-align: right;">Remarks: Horizontal Spray Nozzle</p> <p style="text-align: right;">UPC 9328143277150</p>
EF0034	Primer Can Orange	 <p>FX-10 Primer Aerosol 150gm spray can - Orange</p> <p style="text-align: right;">Brand: Ezi-Fix</p> <p style="text-align: right;">Remarks: Vertical Spray Nozzle</p> <p style="text-align: right;">UPC 9328143000000</p>
EF5011	Ezi Fix 50mm Tape 11M Roll	 <p>50mm Double Sided Tape 11 meter Roll</p> <p style="text-align: right;">Brand: Ezi-Fix</p>
EFAA11	Ezi Fix 30mm Tape 11M Roll	 <p>30mm Double Sided Tape 11 meter Roll</p> <p style="text-align: right;">Brand: Ezi-Fix</p>

o.5 Tools


EF0100A 	T-200 Tool C/W 0092A Universal Head Mini Tool with Universal Head Brand: Ezi-Fix Remarks: Suitable for Saddles and Boss	
EF0100B 	T-200 MINI TOOL C/W 0093A Pipe Clip Head Mini Tool with Pipe Clip Head. For Pipe Clips - 12mm, 16mm, 20mm, 25mm. Brand: Ezi-Fix Remarks: Suitable for Pipe Clips	
EF0100C 	T-200 Mini Tool C/W 0094A 30mm Saddle Head Mini Tool with 30mm Saddle Head Brand: Ezi-Fix Remarks: 30mm Saddle Head	
EF0101A 	T-400 TOOL C/W 30MM SADDLE Head Mini Tool 400mm Long with Universal Head Brand: Ezi-Fix Remarks: Can be fitted with either head	
EF0101C 	T-400 TOOL C/W PIPE CLIP HEAD 400m Tool with Pipe Clip Head Brand: Ezi-Fix	
EF0103 	T-1500 Tool No Head Extension Tool Extends Up To 3m Head not included Brand: Ezi-Fix Remarks: Can be fitted with any head	
EF0105 	Ezi Fix T1500 Primer Tool with Primer Head Primer Tool with 0099A Primer Head - Extends to 3m Brand: Ezi-Fix	

P. Meters


METERS 	Meters / Test Equipment Category Index P. Meters and Test Equipment p.1 DTT / SAT / Combined p.2 Fibre Remarks: Page 1 of 2
--	---

p.1 DTT / SAT / Combined



<p>0000/3429</p> 	<p>TechniSat Digimeter 9</p> <p>Professional Satellite / Terrestrial / QAM / FM Meter. This TechniSat meter is 9" Touch Screen meter with Data Logging , and full Spectrum capability's The meter can be brought with Optional IPTV and Stream analysing.</p>	<p>Brand: TechniSat</p>
<p>0000/3429AI</p> 	<p>TechniSat Digi Meter 9 - All In</p> <p>Professional Satellite / Terrestrial / QAM / FM Meter / Fibre This TechniSat meter is 9" Touch Screen meter with Data Logging , and full Spectrum capability's This is the All IN version.- Everything from the 0000/3429 Plus extras. Includes Wifi Measurement 2.4 and 5G, Includes IPTV and Transport Stream reader.</p>	<p>Brand: TechniSat</p>
<p>304579</p> 	<p>Triax UPM 1400 Combi Meter</p> <p>Triax entry level professional Combi Meter DVBS/S2 - DVBT/T2 with Spectrum BER & MER measurement in COFDM , QAM and QPSK (Terrestrial , Cable , Satellite) Stream information , Constalation screens 5" TFT Display with quick operation buttons and full keypad Physical power switch and supplied with 230V & 12V Charging Great handy modern meter & Handy case with room to hold cables and connectors. Everything you need to get underway with an entry meter.</p>	<p>Brand: Triax</p> <p>Remarks: Indent usless stock available</p> <p>UPC 5702663045798</p>
<p>5401253</p> 	<p>TELESTAR SATPLUS 3</p> <p>The TELESTAR SATPLUS 3 is a digital instrument to set up and control reception systems of all major reception modes (DVB-S, DVB-C, DTT). The HDTV-capable device displays various graphs and modes of analysis over its 5" color display. Furthermore, signal quality can be checked at a live TV picture. The instrument supports USB PVR mode, transport stream recording and MP3 playback, the powerful Li-Ion battery (11,1V/2600mAh) combines long operation time with short charging intervals. A Nylon cover protects the SATPLUS 3 from external influences, such as dirt, dust or splashing water.</p> <p>Size: 13x21x4.8cm</p>	<p>Brand: Telestar</p>
<p>DTTM</p> 	<p>Digital Terrestrial Signal Finder</p> <p>Digital and Analogue TV Signal Strength Finder, Perfect for finding the best direction to pick up Freeview and Freeview HD signals.</p>	<p>Brand: Starview</p>
<p>FSAT</p> 	<p>Starview Satellite Finder</p> <p>In-Line Satellite finder perfect for DIY use. Enables you to align any satellite dish for optimum reception Back light Illuminated meter display for night use, Easy operation, Audio tone, Input Frequency: 0.95GHz ~ 2.15GHz</p>	<p>Brand: Starview</p>

V8F 	V8 APP Satellite Finder <p>APP based satellite finder meter. Use your iPhone or Andriod Phone with Bluetooth APP to align your satellite dish The finder unit has a built in battery with the ability to power the LNB. Will give you Signal Strength / Quality and Transponder list. Excellent - simple finder - easy to use. Chargeable from 5VDC - USB</p> <p>Brand: OEM</p> <p>Remarks: 230V Charger NOT supplied.</p>
---	---


Q. Tools and Equipment

TOOLS 	Tools and Equipment Category Index <p>Q. Tools and Equipment q.1 Compression Tools q.2 Coaxial Tools</p> <p>Remarks: Page 1 of 2</p>
---	---


q.1 Compression Tools

360919 	Triax RG6 Compression Pocket Tool - Long Type <p>Compression Tool For 360913 Long Compression Connector</p> <p>Brand: Triax</p>
360920 	Compression Tool, Universal, F Con <p>Works with a wide range of Compression Connectors</p> <p>Brand: Triax</p>
370042 	Triax Pocket Compression Tool - Short Type.. <p>Compression Tool For 153224 Short Compression Connector</p> <p>Brand: Triax</p>



q.2 Coaxial Tools

FTOOL 	F Conn Triax F key <p>Simple tool for use with standard F Connectors</p> <p>Brand: Triax</p> <p>UPC 5702661536083</p>
---	---


R. Power Supplies




PSU 	Power Supplies Category Index <p>R. Power Supplies r.1 Plug Packs</p> <p>Remarks: Page 1 of 2</p>
---	---

r.1 Plug Packs

12VDCF 	12VDC Power Supply With F Connector 12VDC Plug Pack F-Type Plug Input 100-240VAC Output 12VDC - 500mA Unload standby power 0.3w Rated power 6W	UPC 7647647647
PSU12/1A 	Power Supply 12VDC 1A DC 100-240V input Output 12VDC 1.0A Standard DC Tip	Brand: OEM
PSU12/2A 	Power supply 12VDC 2A DC 100-240V input Output 12VDC 2.0A Standard DC Tip	Brand: OEM
PSU12/3A 	Power Supply 12VDC 3A DC 100-240V input Output 12VDC 2.0A Standard DC Tip	Brand: OEM
PSU15/3A 	Power Supply 15VDC 3A DC 100-240V input Output 15VDC 3A 45W DC Tip	Brand: OEM
PSU18/4A 	Power Supply 18VDC 4A DC 100-240V input 18VDC 4A 72W - DC Tip Includes 230VAC D SUB Plug Lead	Brand: OEM

s.4 TV Brackets

2020/2761 	TECHNIMOUNT FLEX Top features Hole distance: VESA 100, 200, 400, 200 x 400 Weight capacity: max. 45 kg Distance to the wall: 47 mm ... 486 mm Wall mount 236x374mm Tilt angle: -2° ... 12° Swivel angle: ± 60° (depending on TV size) attached bubble level for the horizontal adjustment integrated cable routing in the articulated cantilever Color: black Size: 43x43x4.7cm	Brand: TechniSat Remarks: New product Q3 -2023 UPC 4019588227613
--	--	---

Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas			
2020/2762		<h3>TECHNIMOUNT SLIM 32-65</h3> <p>TECHNIMOUNT SLIM is a compact wall mount for 32"- 65" LED/LCD/PDP TV sets with up to 40 kg load.</p> <p>Top features:</p> <ul style="list-style-type: none">Width of base 695mmHole distance: VESA 100, 200, 400, 200 x 400. 400 x 600Weight capacity: max. 40 kgDistance to the wall: 22 mmColor: black <p>Size: 69.5x43x2.2cm Remarks: New product due Q3 -2023</p>	<p>Brand: TechniSat</p> <p>UPC4019588227620</p>
2020/2764		<h3>TECHNIMOUNT ISI</h3> <p>TECHNIMOUNT ISI is a compact wall mount for 22"- 42" LED/LCD/PDP TV sets with up to 20 kg load.</p> <p>Article information</p> <ul style="list-style-type: none">EAN 4019588227644Item no. 2020/2764Colour blackWeight (Box) 840 gWeight 594 gDevice (W x H x D) 23.00 x 26.00 x 5.00 cmBox 27.00 x 16.50 x 3.00 cmGeneral characteristicsHole distance 75x75, 100x100, 200x100, 200x200Load carrying capacity 20 kgDistance from wall 25 mmScreen inclination 0 ... 10 °Recommended TV size 22 ... 55 in <p>Size: 23.00 x 26.00 x 5.00 cm Remarks: New Product Q3-2023</p>	<p>Brand: TechniSat</p> <p>UPC4019588227644</p>
2020/2765		<h3>TECHNIMOUNT FLEX EASY</h3> <p>Top features</p> <ul style="list-style-type: none">Hole distance: VESA 100, 200, 400, 200 x 400Weight capacity: max. 25 kgDistance to the wall: 62 mm ... 426 mmTilt angle: -2° ... 12°Swivel angle: ± 90° (depending on TV size)attached bubble level for the horizontal adjustmentintegrated cable routing in the articulated cantileverColor: black <p>Size: Base 79x324mm Remarks: New product Q3-2023</p>	<p>Brand: TechniSat</p> <p>UPC4019588227651</p>