

# P. Meters

P. Meters



atellite Reception | Terrestrial Reception

Dishes | Amplifiers | Receive

**Brand:** Triax

**Brand: OEM** 

#### P. Meters

# METERS

# **Meters / Test Equipment Category Index**

P. Meters and Test Equipment p.1 DTT / SAT / Combined

p.2 Fibre

p.3 Data



Remarks: Page 1 of 4

# p.1 DTT / SAT / Combined

## 999046

### **Triax Satellite Meter Business Model**

Mobile SAT-level meter - Business

Plug and play with pre-installed transponders

Optical and acoustic guidance.

DVB-S/S2 picture and sound generation.

Automatic SAT-identification (NIT-search).

Suitable for unicable. Supports DiSEqC 1.0, 1.1, 1.2, auto.

Practical wristband included.

Numeric key-pad for easy use.

**Size:** 99 x 37 x 139 mm

# **COMBI7000**

# **DigiTEK Combo Meter Sat & Terr**

The COMBI7000 is the big brother to the HDCOMBI,

Offering many of the same features and more like the new Super bright LED, New

Tough Rubber housing and a 4000mAh Lithium ion battery

And a real time constellation display

Combination of DVB-S, DVB-S2 & DVB-T, DVB-T2 High Resolution 5" TFT LCD

Multi-lingual OSD and user friendly UI

Support Spectrum function (Satellite)

Real Time Constellation display (Satellite)

Blind search

USB 2.0 for software update & media playback Video recording and time shift

Program edit

Electronic Program Guide (EPG)

HDTV video/audio output

AV input for CCTV installation

AV output for monito function Very easy to use with shortcut key

Remote Control Unit

Built in loud speaker for audio play

Built in buzzer for signal feedback

Built in LED light

Large lithium ion battery capacity (4000mAh)



February-19



# P. Meters p.1 DTT/SAT/Combined



Satellite Reception | Terrestrial Reception | IPTV | Dishes | Amplifiers | Receivers | Headends | Antennas

Digiair

### **Digiair Pro T2**

You dont need to spend thousands on a spectrum analyzer just to get accurate TV antenna measurements. The revolutionary DIGIAIR-PRO signal meter for HDTV antenna signals offers you professional-level measuring tools on a hobbyist budget. Its simple enough for a first-timer yet powerful enough for the most experienced RF engineer.

**Brand:** Emitor



The DIGIAIR Pro is the perfect spectrum analyzer for outdoor and indoor use. Its easy-to-use design and rugged case make it the right choice for going up on the roof to tweak an antenna for best performance. Professionals will appreciate the combination of features and hobbyists will see the value and price. Fine-tune your antenna performance and start watching free TV with the Solid Signal Digiair Pro TV antenna signal meter and spectrum analyzer.

**Size:** 1234 x 55 x 35 mm **Remarks:** Includes Carrying Case, Power Supply

**DTTM** 

# **Digital Terrestrial Signal Finder**

Digital and Analogue TV Signal Strength Finder, Perfect for finding the best direction to pick up Freeview and Freeview HD signals.

**Brand:** Starview

**FSAT** 

# **Starview Satellite Finder**

In-Line Satellite finder perfect for DIY use. Enables you to align any satellite dish for optimum reception

Back light Illuminated meter display for night use, Easy operation, Audio tone, Input Frequency:  $0.95 GHz \sim 2.15 GHz$ 

**Brand:** Starview

**Brand: OFM** 

**Brand: OEM** 

**FSAT-D** 

### **Satellite Finder - Digital Display**

A digital satellite signal finder meter with easy-to-read LCD screen is sensitive enough to detect the weakest electronic signals.

It can also handle powerful signals from providers like Sky TV.

It is designed to work whether you are facing mild or harsh environmental conditions.

The housing on the connectors has a special coating that prevents corrosion.

**FSAT-PRO** 

#### Satellite Finder - Pro Version - Sat ID / Quality

This meter is pre-programmed for the Optus D1 satellite and is ready to lock on to the Freeview services on this satellite. You can of course use it for pay TV as well. The meter will positively identify the correct satellite and will ignore all of the others so you get the right one every time. With an easy to read LCD screen (easy to see in bright sunlight) with a great signal strength and quality readout that will only register a signal and beep when you hit the right spot. If you already have a sat system and find it difficult or time consuming trying to lock on each time then this is for you.

Line powered from the Set top Box or via DC power supply: 12 ~20 vdc (not

Line powered from the Set top Box or via DC power supply: 12 ~20 vdc (no included)

FSAT\_Kit

# **FSAT with Quick Connect Leed**

FSAT Meter with CFQ 1.5M Cable

**Brand:** Starview



 February-19
 www.digitalimports.co.nz
 P
 Ph 03 344 5417 Fax 03 344 5419
 P - Pg 2



# P. Meters

p.1 DTT / SAT / Combined



| Satellite Reception | Terrestrial Reception | IPTV | Dishes | Amplifiers | Receivers | Headends | Antennas


HDCOMBI

# HD Satellite - Terrestrial Combo Meter S2/T2/C Entry Meter

The HDCOMBI is a digital test receiver of satellite, cable and terrestrial. It has a 5 colour display which shows various graphs and analysis modes (spectral analysis and much more) for signal control on live TV picture. It supports MP3 and multimedia playback via USB.

The compact measuring receiver is equipped with a powerful Li-Ion battery for long operation time, a robust design and Nylon Carrying Case included in the accessories. It is well protected from the elements such as dust and a splash water

Measuring Receiver for DVB-S, DVB-T and DVB-C and AV signals 5 inch TFT LCD display for signal control on the live image Control panel for quick navigation and data entry Spectral analysis of reproducing the signal quality for all transponders Signal strength indication (numerically and in diagram form)



**Brand:** Emitor



#### Combo Look S2/T2 Meter

Combo Look S2/T2 - Spectrum-analyzer 2-900MHz and 950-2150MHz

Presents full range and expanded spectrum.

Very high accuracy, CATV +/-1dB, SAT-TV +/- 1.5dB at 20°C.

Digital BER, MER and S/N(C/N)-ratio DVB-S/S2.

Digital BER, MER and S/N(C/N)-ratio DVB-T/T2.

DVB-S FTA receiver with picture (MPEG-2).

DVB-T FTA receiver with picture (MPEG-2).

Automatic Satellite identifcation.

Readout of NIT - gives SAT ID and TV/Radio-channel info.

QPSK and 8PSK constellation diagram for DVB-S/S2.

Aerial power output, 0, 12, 18 and 24V.

LNB voltage 13/18V, 22KHz tone switch, Sat-CR control.

DiSEqC according to level 1.0, 1.1 and 1.2.

Lots of memory positions for spectrum pictures.

RS232 for PC-connection (up/download).

Rechargeable Li-Ion battery.

Nice & small, only 4Kg complete with carrying case

Remarks: Power Supply Included



#### **Emitor Sat Look Micro HD**

Sat Look Micro HD - Measure DVB-S and DVB-S2 signals (920-2150MHz)

Spectrum-analyzer with zoom function

EasyFind satellite identification for faster installations

Super bright LCD display

Very sensitive, easy to maximize weak and strong signals

Digital MER, BER, QPSK (DVB-S), 8PSK (DVB-S2) and S/N-ratio

Readout NIT -gives Satellite ID and TV/Radio-channel info

X-pol. function for optimize LNB skew

DiSEqC according to level 1.0, 1.1 and 1.2

LNB voltage 13/18V, 22KHz tone switch

Stores up to 99 memory positions

RS232 for PC-connection (up/download)

Built in, rechargeable battery

Nice & small, only 1,5 Kg complete with carrying case

Brand: Emitor



p.2 Fibre



# P. Meters

p.2 Fibre



**Brand:** Triax

Satellite Reception | Terrestrial Reception | IPTV | Dishes | Amplifiers | Receivers | Headends | Antennas

#### 307967

# **Triax Optical Power Meter**

TOM 011 Optical Level Meter - An Optical Level Meter is an indispensable tool for any Installer running Fibre Optical cables of any sort.



Only by actually measuring the result and quality of the installed cable immediately upon installing it, You can be certain that it will work as expected, when powering on the system. Reduces post-installation fault finding to a minimum.

