














E. Coaxial Splitters / Taps

SPLITTERS - TAPS	Coaxial Splitters and Taps Category Index
	<p>E. Coaxial Splitters and Taps</p> <ul style="list-style-type: none"> e.1 Splitters e.2 Taps
Remarks: Page 1 of 8	








e.1 Splitters







340110	Triax Sat Diplexer	Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/>
	<p>Inputs: sat and uhf Output: sat and uhf combined Connection type: F-type Tv Input range: 5-860MHz Loss 2.0dB Sat Input range: 950-2400MHz Loss 2.0/3.0dB Output range: 5-2400MHz Power pass: On satellite leg</p>	
342100	Triax Brackets Small 1-4	Brand: Triax
	Standoffs for 1-4 Way Triax Splitters.	
342102	Triax Brackets Large 6-8	
	Standoffs for 6/8 way Triax Splitters	
343255	ACV 12 - 12 Way Splitter 1GHz	Brand: Triax
	<p>ACV 12-12 - 12 way splitter, one-sided connectors TRIAX splitter all round performance for use in CATV, SMATV & MATV</p> <p>Frequency range 5-1000 MHz High shielding Return loss Grade 2 High quality die cast housing Sn coated All ports AC/DC blocked at inner conductor - TAP Quality</p> <p>Tap loss (in-tap) 5-40 MHz 12.3 dB Tap loss (in-tap) 40-470 MHz 12.5 dB Tap loss (in-tap) 470-1000 MHz 14.5 dB</p>	
Remarks: Shielding efficiency VHF/UHF > 110 dB		UPC 5702663432550









Satellite Reception	Terrestrial Reception	IPTV	Dishes	Amplifiers	Receivers	Headends	Antennas
<div style="background-color: #cccccc; padding: 2px;">343256</div> 	<div style="background-color: #cccccc; padding: 2px;">ACV 16 16 Way Splitter 1GHz</div> <p>ACV 16-16 - 16 way splitter, one-sided connectors</p> <p>TRIAx splitter all round performance for use in CATV, SMATV & MATV Frequency range 5-1000 MHz High shielding Return loss Grade 2 High quality die cast housing Sn coated All ports AC/DC blocked at inner conductor Tap loss (in-tap) 5-40 MHz 14.5 dB Tap loss (in-tap) 40-470 MHz 14.8 dB Tap loss (in-tap) 470-1000 MHz 16.2 dB</p> <p style="text-align: right;">Brand: Triax</p>	<p style="text-align: right;">UPC 5702663432567</p>					
<div style="background-color: #cccccc; padding: 2px;">349804</div> 	<div style="background-color: #cccccc; padding: 2px;">Triax 4 way Splitter</div> <p>All ports power pass - diode steered 5-2400MHz Side entry Insertion loss (in-out) 40-1000 Mhz 7.5 dB Insertion loss (in-out) 5-40 Mhz 6.5 dB Insertion loss (in-out) 1000-2150 MHz 10.0 dB</p> <p style="text-align: right;">Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/></p>	<p style="text-align: right;">UPC 5702663498044</p>					
<div style="background-color: #cccccc; padding: 2px;">349806</div> 	<div style="background-color: #cccccc; padding: 2px;">Triax 6 Way Splitter</div> <p>All ports power pass - diode steered 5-2400MHz Side entry Insertion loss (in-out) 40-1000 Mhz 11.5 dB Insertion loss (in-out) 5-40 Mhz 10.8 dB Insertion loss (in-out) 1000-2150 MHz 15.5 dB</p> <p style="text-align: right;">Brand: Triax</p>	<p style="text-align: right;">UPC 5702663498068</p>					
<div style="background-color: #cccccc; padding: 2px;">349808</div> 	<div style="background-color: #cccccc; padding: 2px;">Triax 8 Way Splitter</div> <p>All ports power pass - diode steered 5-2400MHz Side entry Insertion loss (in-out) 40-1000 Mhz 13.0 dB Insertion loss (in-out) 5-40 Mhz 11.8 dB Insertion loss (in-out) 1000-2150 MHz 16.5 dB</p> <p style="text-align: right;">Brand: Triax</p>	<p style="text-align: right;">UPC 5702663498082</p>					
<div style="background-color: #cccccc; padding: 2px;">349814</div> 	<div style="background-color: #cccccc; padding: 2px;">Triax 4 Way Splitter 1 Port Power Pass</div> <p>Single port power pass - diode steered 5-2400MHz Side entry</p> <p style="text-align: right;">Brand: Triax</p>	<p style="text-align: right;">End of Line: <input checked="" type="checkbox"/></p>					
<div style="background-color: #cccccc; padding: 2px;">349822</div> 	<div style="background-color: #cccccc; padding: 2px;">Triax 2 Way Splitter</div> <p>SCS 2 All ports power pass - diode steered 5-2400MHz Side entry Insertion loss (in-out) 40-1000 Mhz 4.0 dB Insertion loss (in-out) 5-40 Mhz 4.4 dB Insertion loss (in-out) 1000-2150 MHz 5.5 dB</p> <p style="text-align: right;">Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/></p>	<p style="text-align: right;">UPC 5702663498228</p>					









349823	Triax 3 Way Spiltter - Replaces 349803	Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/>
	All ports power pass - diode steered 5-2400MHz Side entry Return loss (in-out) 1000-2150 MHz 13.0 dB Return loss (in-out) 2150-2400 MHz 13.0 dB Return loss (in-out) 40-1000 MHz 12.0 dB	UPC 5702663498037
511102	CTS 2400 - TV/SAT combiner (diecast)	Brand: Triax
	CTS 2400 - TV/SAT combiner. TRIAX CTS 2400 filter, tv, sat, 5-862/950-2400 MHz Remarks: 1: Loss 2.0 2:loss 2.5	
SDPF	Starview Terrestrial/Satellite Combiner	Brand: Starview
	Starview side entry Satellite / Terrestrial Diplexer Loss 5-862 <3dB Loss 950-2400 <3.5dB	
SSF2	Starview 2 way Splitter Power Pass to all Ports	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/>
	All ports power pass - diode steered 5-2400MHz Front Entry Loss 5-40 4.2dB Loss 40-1000 5.0dB Loss 1000-2050 5.8dB	
SSF3	Starview 3 Way Splitter Power Pass to all Ports	Brand: Triax Bulk Qty Available: <input checked="" type="checkbox"/>
	All ports power pass - diode steered 5-2400MHz Front Entry Loss 5-40 7.5dB Loss 40-1000 8.2dB Loss 1000-2050 10.5dB	
SSF4	Starview 4 Way Splitter Power Pass to all Ports	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/>
	All ports power pass - diode steered 5-2400MHz Front Entry Loss 5-40 8.2dB Loss 40-1000 8.5dB Loss 1000-2050 11.0dB	
SSF6	Starview 6 Way Splitter Power Pass to all Ports	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/>
	All ports power pass - diode steered 5-2400MHz Front Entry Loss 5-40 11.2dB Loss 40-1000 12.5dB Loss 1000-2050 16.5dB	
SSF8	Starview 8 Way Splitter Power Pass to all Ports	Brand: Starview Bulk Qty Available: <input checked="" type="checkbox"/>
	All ports power pass - diode steered 5-2400MHz Front Entry Loss 5-40 12.0dB Loss 40-1000 13.0dB Loss 1000-2050 17.5dB	

e.2 Taps

<p>342110</p> 	<p>Triax SCT 1-10, 1 Way Tap</p> <p>SCT 1-10 Tap - Triax Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz High quality die-cast housing tin (Sn) coated Insertion loss (in-out) 2150-2400 Mhz 2.7 dB Insertion loss (in-out) 40-1000 Mhz 1.9 dB</p>	<p>Brand: Triax</p>
<p>342112</p> 	<p>Triax SCT 1-12, 1 Way Tap</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz High shielding High quality die-cast housing tin (Sn) coated Insertion loss (in-out) 2150-2400 Mhz 2.3 dB Insertion loss (in-out) 40-1000 Mhz 1.6 dB</p>	<p>Brand: Triax</p>
<p>342116</p> 	<p>Triax SCT 1/16 Tap</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz Return loss Grade 3 High quality die-cast housing tin (Sn) coated Insertion loss (in-out) 2150-2400 Mhz 2.1 dB Insertion loss (in-out) 40-1000 Mhz 1.3 dB</p>	<p>Brand: Triax</p>
<p>342120</p> 	<p>Triax SCT 1/20</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz Return loss Grade 3 High quality die-cast housing tin (Sn) coated Insertion loss (in-out) 2150-2400 Mhz 1.7 dB Insertion loss (in-out) 40-1000 Mhz 1.1 dB</p>	<p>Brand: Triax</p>
<p>342124</p> 	<p>Triax SCT 1/24</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz Return loss Grade 3 High quality die-cast housing tin (Sn) coated Insertion loss (in-out) 2150-2400 Mhz 1.7 dB Insertion loss (in-out) 40-1000 Mhz 1.1 dB</p>	<p>Brand: Triax</p>
<p>342164</p> 	<p>Triax SCT 4-20, 4 Way Tap</p> <p>TRIAx coaxial tap ideal for SAT-IF and MATV distribution networks.</p> <ul style="list-style-type: none"> • Frequency range 5-2400 MHz • DC pass via trunk line IN-OUT • High shielding against ingress noise like radiated by LTE mobile • High quality die-cast housing tin (Sn) coated with solder shield bottom plate <p>Insertion loss (in-out) 40-1000 Mhz 1.8 dB Insertion loss (in-out) 1000-2150 MHz 2.8 dB</p> <p>Size: 17mm x 58mm Remarks: 20dB</p>	<p>Brand: Triax</p>
<p>342210</p> 	<p>Triax SCT 2-10, 2 Way Tap</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz Return loss Grade 3 High quality die-cast housing tin (Sn) coated Insertion loss (in-out) 2150-2400 Mhz 4.5 dB Insertion loss (in-out) 40-1000 Mhz 3.2 dB</p>	<p>Brand: Triax</p>

Satellite Reception	Terrestrial Reception	IPTV	Dishes	Amplifiers	Receivers	Headends	Antennas
<p>342212</p> 	<p>Triax SCT 2-12, 2 Way Tap</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks.</p> <p>Frequency range 5-2400 MHz</p> <p>Return loss Grade 3</p> <p>High quality die-cast housing tin (Sn) coated</p> <p>Insertion loss (in-out) 2150-2400 Mhz 4.4 dB</p> <p>Insertion loss (in-out) 40-1000 Mhz 2.8 dB</p>						<p>Brand: Triax</p>
<p>342216</p> 	<p>Triax SCT 2/16 Tap</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks.</p> <p>Frequency range 5-2400 MHz</p> <p>Return loss Grade 3</p> <p>High quality die-cast housing tin (Sn) coated</p> <p>Insertion loss (in-out) 2150-2400 Mhz 3.8 dB</p> <p>Insertion loss (in-out) 40-1000 Mhz 2.2 dB</p>						<p>Brand: Triax</p>
<p>342220</p> 	<p>Triax SCT 2/20 Tap</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks.</p> <p>Frequency range 5-2400 MHz</p> <p>Return loss Grade 3</p> <p>High quality die-cast housing tin (Sn) coated</p> <p>Insertion loss (in-out) 2150-2400 Mhz 3.5 dB</p> <p>Insertion loss (in-out) 40-1000 Mhz 1.6 dB</p>						<p>Brand: Triax</p>
<p>342412</p> 	<p>Triax 4/12, 4 Way Tap</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks.</p> <p>Frequency range 5-2400 MHz</p> <p>Return loss Grade 3</p> <p>High quality die-cast housing tin (Sn) coated</p> <p>Insertion loss (in-out) 2150-2400 Mhz 5.3 dB</p> <p>Insertion loss (in-out) 40-1000 Mhz 4.3 dB</p>						<p>Brand: Triax</p>
<p>342416</p> 	<p>Triax SCT 4-16, 4 Way Tap</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks.</p> <p>Frequency range 5-2400 MHz</p> <p>Return loss Grade 3</p> <p>High quality die-cast housing tin (Sn) coated</p> <p>Insertion loss (in-out) 2150-2400 Mhz 3.9 dB</p> <p>Insertion loss (in-out) 40-1000 Mhz 2.5 dB</p>						<p>Brand: Triax</p>
<p>342424</p> 	<p>Triax SCT 4-24, 4 Way Tap</p> <p>Triax tap ideal for SAT-IF and MATV distribution networks.</p> <p>Frequency range 5-2400 MHz</p> <p>Return loss Grade 3</p> <p>High quality die-cast housing tin (Sn) coated</p> <p>Insertion loss (in-out) 2150-2400 Mhz 1.8 dB</p> <p>Insertion loss (in-out) 40-1000 Mhz 0.9 dB</p>						<p>Brand: Triax</p>

342616	Triax SCT 6-16 , 6 Way Tap	 <p>Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz Return loss Grade 3 High quality die-cast housing tin (Sn) coated Insertion loss (in-out) 2150-2400 Mhz 5.6 dB Insertion loss (in-out) 40-1000 Mhz 3.8 dB</p>	Brand: Triax
342620	Triax SCT 6/20, 6 Way Tap	 <p>Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz DC pass through on trunk IN-OUT High shielding Return loss Grade 3 Insertion loss (in-out) 2150-2400 Mhz 4.5 dB Insertion loss (in-out) 40-1000 Mhz 2.3 dB</p>	Brand: Triax
342816	TriaxSCT 8/16 Tap	 <p>Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz Return loss Grade 3 High quality die-cast housing tin (Sn) coated Insertion loss (in-out) 2150-2400 Mhz 5.9 dB Insertion loss (in-out) 40-1000 Mhz 3.8 dB</p>	Brand: Triax
342820	Triax SCT 8/20 Tap	 <p>Triax tap ideal for SAT-IF and MATV distribution networks. Frequency range 5-2400 MHz Return loss Grade 3 High quality die-cast housing tin (Sn) coated Insertion loss (in-out) 2150-2400 Mhz 4.8 dB Insertion loss (in-out) 40-1000 Mhz 2.2 dB</p>	Brand: Triax
ST1/14	Starview 1 Way Satellite Tap, 14dB Loss	 <p>Starview ST2/14 Tap Satellite and Terrestrial Low loss Front Entry 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 1.8dB 1000-2400MHz 3.0dB</p>	Brand: Starview
ST1/18	Starview 1 Way Satellite Tap, 18dB Loss	 <p>Starview ST1/18 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 1.5dB 1000-2400MHz 1.8dB</p>	Brand: Starview
ST2/14	Starview 2 Way Satellite Tap, 14 dB Loss	 <p>Starview ST2/14 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 3.2dB 1000-2400MHz 3.5dB</p>	Brand: Starview
ST2/18	Starview 2 Way Satellite Tap, 18 dB Loss	 <p>Starview ST2/18 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 2.5dB 1000-2400MHz 2.8dB</p>	Brand: Starview

ST2/22	Starview 2 Way Satellite Tap, 22 dB Loss	Brand: Starview
	<p>Starview ST2/22 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 2.5dB 1000-2400MHz 2.8dB</p>	
ST4/12	Starview 4 way Satellite Tap, 12dB Loss	Brand: Starview
	<p>Starview ST4/12 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 5.0dB 1000-2400MHz 5.5dB</p>	
ST4/14	Starview 4 Way Satellite Tap, 14 dB Loss	Brand: Starview
	<p>Starview ST4/14 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 4.5dB 1000-2400MHz 5.2dB</p>	
ST4/18	Starview 4 Way Satellite Tap, 18 dB Loss	Brand: Starview
	<p>Starview ST4/18 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 3.0dB 1000-2400MHz 3.5dB</p>	
ST4/22	Starview 4 Way Satellite Tap, 22 dB Loss	Brand: Starview
	<p>Starview ST4/22 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 1.5dB 1000-2400MHz 2.0dB</p>	
ST6/16	Starview 6 Way Satellite Tap, 16 dB Loss	Brand: Starview
	<p>Starview ST6/16 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 5.0dB 1000-2400MHz 7.8dB</p>	
ST6/20	Starview 6 Way Satellite Tap, 20 dB Loss	Brand: Starview
	<p>Starview ST6/20 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 3.0dB 1000-2400MHz 5.5dB</p>	
ST6/25	Starview 6 Way Satellite Tap, 25 dB Loss	Brand: Starview
	<p>Starview ST6/25 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 2.0dB 1000-2400MHz 4.2dB</p>	

<p>ST8/16</p> 	<p>Starview 8 Way Satellite Tap, 16 dB Loss</p> <p>Starview ST8/16 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 5.0dB 1000-2400MHz 7.8dB</p>	<p>Brand: Starview</p>
<p>ST8/20</p> 	<p>Starview 8 Way Satellite Tap, 20 dB Loss</p> <p>Starview ST8/20 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 3.0dB 1000-2400MHz 5.5dB</p>	<p>Brand: Starview</p>
<p>ST8/25</p> 	<p>Starview 8 Way Satellite Tap, 25 dB Loss</p> <p>Starview ST8/25 Tap :Satellite and Terrestrial :Low loss 5 - 2400MHz</p> <p>Insert loss: 40-1000MHz 2.0dB 1000-2400MHz 4.2dB</p>	<p>Brand: Starview</p>