
















G. Masthead Hardware


MAST HARDWARE	Masthead Hardware Category Index
	<p>G. Masthead Hardware</p> <p>g.1 DTT Amps - Filters - Splitters - Attenuators</p> <p>g.2 Line Amps - Electronics</p>
Remarks: Page 1 of 4	

g.1 DTT Amps-Filters-Splitter


153710	Triax F conn attenuator 3 dB	Brand: Triax
	<p>Attenuate your RF output by 3db 4-1000 MHz</p>	
153711	Triax F conn attenuator 6dB	Brand: Triax
	<p>Attenuate your RF output by 6db 4-1000 MHz</p>	
153712	Triax F conn attenuator 10dB	Brand: Triax
	<p>Attenuate your RF output by 10db 4-1000 MHz</p>	
153713	Triax 20dB Antennuator	Brand: Triax
	<p>Attenuate your RF output by 20db 4-1000 MHz</p>	
167190	MFS 2 Way Mast Splitter - 5-2400mhz	Brand: Triax
	<p>MFS 2 Mast splitter Outdoor</p> <p>2 way wideband 5...2400Mhz splitter w/ DC pass</p> <p>UV resistant weather proof housing Easy mount:</p> <ul style="list-style-type: none"> - Opens w/ piston slide - all F connectors on one side - plastic strip for quick fasten at mast 	
Remarks: DC Pass Yes 25VDC /0.5A		


Satellite Reception Terrestrial Reception IPTV Dishes Amplifiers Receivers Headends Antennas		
<p>314176</p> 	<p>700MHz TLP 048 LTE LP filter CH48- LTE700 4G Filter</p> <p>700MHz LTE LP filter CH48</p> <p>LTE Filters prevent 4G mobile services causing interference with terrestrial TV signals</p> <p>Size: 85 x 25mm Remarks: LTE700 Inline</p>	<p>Brand: Triax</p> <p>UPC5702663141766</p>
<p>314177</p> 	<p>TLP 148 LTE700 filter masthead CH48</p> <p>700MHz LTE LP filter CH48 (TLP 148)</p> <p>LTE Filters prevent 4G mobile services causing interference with terrestrial TV signals</p> <p>Size: 55 x 110 x 112mm Remarks: LTE 700</p>	<p>Brand: Triax</p> <p>UPC5702663141773</p>
<p>314178</p> 	<p>700MHz TLP 046 LTE LP filter CH46</p> <p>700MHz LTE LP filter CH46</p> <p>LTE Filters prevent 4G mobile services causing interference with terrestrial TV signals</p> <p>Size: Loss 1.0db Remarks: DC pass through 30VDC/1A</p>	<p>Brand: Triax</p> <p>UPC5702663141780</p>
<p>340012</p> 	<p>AFA Micro Amp UHF 12db, 5-12V</p> <p>UHF Gain 12db Max. Output level @ 60 dB IMD 95 dBµV Input 1 - frequency 470...862MHz 5-12VDC - 10...22 mA</p>	<p>Brand: Triax</p> <p>UPC5702663400122</p>
<p>340101</p> 	<p>MFC 101 - Sat/TV Combiner</p> <p>Combines SAT IF & VHF/UHF into 1 Cable Waterproof housing & mast strap for mounting on Dish / Aerial mast A great method to use the same RG6 cable for satellite & terrestrial Saves time - great for situations where you are unable to run a new cable Input 1 - through loss 3.0 dB Input 2 - through loss 2.0 dB</p>	<p>Brand: Triax</p>
<p>340651</p> 	<p>MFA 651 1 Input - UHF - 5...12Vdc - Multiband mast amplifier</p> <p>Low noise 1.8dB Gain 12dB Unique power stabiliser enables use of 5-12VDC 2 terminal waterproof mast housing F-Connector input and output RF shielded and CE compliant EN50083</p>	<p>Brand: Triax</p> <p>UPC5702663406513</p>
<p>340911</p> 	<p>MFA 611 - UHF / BIII - mast amplifier LTE700</p> <p>F-connectors on all in- and outputs 4-terminal waterproof masthousing RF shielded & CE approved (EN 50083) Input 1 - channels 5...12 / 21...48 Input 1 - frequency 170...230 / 470...694 MHz DC Operating voltage 12...24 VDC Gain 15-30 / 10-25</p> <p>Size: 107 x 115 x 60mm Remarks: LTE700</p>	<p>Brand: Triax</p>


<p>340921</p> 	<p>MFA 621 - UHF / BIll - mast amplifier - LTE700</p> <p>LTE protected F-connectors on all in and outputs 4-terminal waterproof masthousing RF shielded & CE approved (EN 50083) Input 1 - channels 5...12 / 21...48 Input 1 - frequency 170...230 / 470...694 MHz DC Operating voltage 12...24 VDC Gain 5-15/ 20-35</p> <p>Size: 60 x 117 x 115mm Remarks: LTE700</p>	<p>Brand: Triax</p>
<p>370559</p> 	<p>Wolsey 25Db Gain Mast Head Amp with Power Supply</p> <p>F-Connector Masthead Amplifier and Power Supply Kit 1 Input 1 Output 10-25 dB Variable Gain Weatherproof housing Fully screened enclosure</p>	<p>Brand: Wolsey</p> <p>UPC: 5702663705593</p>
<p>370564</p> 	<p>LTE Outdoor 2 Way Splitter</p> <p>1 Input 2 Outputs 47...790 MHz (UHF Only) Input 1 - Loss <460 dB Power Pass on All Outputs DC Passthrough (12VDC / 400mA) F-Connectors Weatherproof Housing Fully Screened Enclosure</p>	<p>Brand: Wolsey</p> <p>UPC: 5702663705647</p>
<p>370565</p> 	<p>LTE 4 way outdoor splitter wolsey brand -</p> <p>1 Input 4 Outputs -- Loss <10 dB 47...790MHz (UHF Only) Bi-Directional Through Line Power Power Pass on All Outputs (12VDC / 400mA) F-Connectors Weatherproof Housing Fully Screened Enclosure</p>	<p>Brand: Wolsey</p> <p>UPC: 5702663705654</p>
<p>370683</p> 	<p>TFC FM/DAB/UHF</p> <p>Masthead Combiners with gold F Connectors Input 1 - band FM 87.5-108 MHz Input 2 - band DAB 174-230 MHz Input 3 - band UHF 470-862 MHz DC Passthrough Yes (12VDC / 500mA)</p> <p>Size: 118mm x 140mm Remarks: Power Pass to UHF Input</p>	<p>Brand: Triax</p>
<p>370687</p> 	<p>TFC FM/DAB/UHF/SAT</p> <p>Masthead combiner with gold F connectors Input 1 - band FM 87.5-108 MHz Input 2 - band DAB 174-230 MHz Input 3 - UHF 21-68 470-862 MHz Input 4 - band SAT 950-2150 MHz DC Passthrough Yes (12VDC / 500mA)</p> <p>Size: 118mm x 140mm Remarks: Power Pass to SAT Input</p>	<p>Brand: Triax</p> <p>UPC: 5702663706873</p>
<p>370706</p> 	<p>Triax DC Block in line F</p> <p>In line DC Blocker 5-2400 MHz</p>	<p>Brand: Triax</p>


<p>DTTLA</p> 	<p>DTT Lightning Protector</p> <p>Metal Housing for superior weather-proofing Galvanized lightning arrester Frequency Range: 5 - 1000MHz Insertion Loss: <2dB Dielectric Strength: 1000VAC, 1min Insulation Resistance: >100 MO</p>	<p>Brand: Starview</p>
---	--	-------------------------------

g.2 Line Amps - Electronics

<p>300401</p> 	<p>Triax Line Extender</p> <p>For amplifying a single line satellite distribution line in a Direct To Home (DTH) installation.</p> <p>Max output level 100 dBμV Frequency range 47-2300 MHz Gain 16...20 dB</p> <p>Size: 27mm x 82mm</p>	<p>Brand: Triax</p> <p>UPC: 5702663004016</p>
---	--	---

<p>370650</p> 	<p>Triax Sat Slope Compensator Amp</p> <p>Triax Satellite Signal Amplifier with independent control for slope & gain Line power from the 18v feed of the receivers LNB input</p> <p>Frequency range 950...2300 MHz Gain 12 dB Slope control SAT 10 Attenuation 0...10 dB</p> <p>Size: 37mm x 102mm Remarks: DC Passthrough (11...20VDC / 40mA)</p>	<p>Brand: Triax</p>
---	--	----------------------------

<p>SATLA</p> 	<p>Satellite Lightning Protector</p> <p>Metal Housing for superior weather-proofing 75 ohm F-Type Connectors Frequency Range: 120 - 2400MHz</p>	<p>Brand: Starview</p>
---	--	-------------------------------

<p>SDSQ</p> 	<p>Starview 4 x 1 DiSEqC Switch</p> <p>Outside 4 Port Satellite DiSEqC Switch Suitable for connecting up to 4 satellite dishes or LNB's to 1 Receiver Outdoor housing and strap supplied in box.</p>	<p>Brand: Starview</p>
--	---	-------------------------------