

P. Meters

METERS



Meters / Test Equipment Category Index

P. Meters and Test Equipment
 p.1 DTT / SAT / Combined
 p.2 Fibre

Remarks: Page 1 of 3

p.1 DTT / SAT / Combined

COMBI7000



DigiTEK Combo Meter Sat & Terr

The COMBI7000 is the big brother to the HDCOMBI ,

Brand: OEM

Offering many of the same features and more like the new Super bright LED, New Tough Rubber housing and a 4000mAh Lithium ion battery

And a real time constellation display

Combination of DVB-S, DVB-S2 & DVB-T, DVB-T2 High Resolution 5

DigiAir



DigiAir Pro T2

You dont need to spend thousands on a spectrum analyzer just to get accurate TV antenna measurements. The revolutionary DIGIAIR-PRO signal meter for HDTV antenna signals offers you professional-level measuring tools on a hobbyist budget. Its simple enough for a first-timer yet powerful enough for the most experienced RF engineer.

Brand: Emitor

End of Line:

The DIGIAIR Pro is the perfect spectrum analyzer for outdoor and indoor use. Its easy-to-use design and rugged case make it the right choice for going up on the roof to tweak an antenna for best performance. Professionals will appreciate the combination of features and hobbyists will see the value and price. Fine-tune your antenna performance and start watching free TV with the Solid Signal DigiAir Pro TV antenna signal meter and spectrum analyzer.

Size: 1234 x 55 x 35 mm Remarks: Includes Carrying Case, Power Supply

DTTM



Digital Terrestrial Signal Finder

Digital and Analogue TV Signal Strength Finder, Perfect for finding the best direction to pick up Freeview and Freeview HD signals.

Brand: Starview

FSAT



Starview Satellite Finder

In-Line Satellite finder perfect for DIY use. Enables you to align any satellite dish for optimum reception

Brand: Starview

Back light Illuminated meter display for night use, Easy operation, Audio tone, Input Frequency: 0.95GHz ~ 2.15GHz

FSAT-D



Satellite Finder - Digital Display

A digital satellite signal finder meter with easy-to-read LCD screen is sensitive enough to detect the weakest electronic signals.

Brand: OEM



It can also handle powerful signals from providers like Sky TV.

It is designed to work whether you are facing mild or harsh environmental conditions.

The housing on the connectors has a special coating that prevents corrosion.

UPCZN726400

<p>FSAT_Kit</p> 	<p>FSAT with Quick Connect Lead</p> <p>FSAT Meter with CFQ 1.5M Cable</p> <p>Brand: Starview</p>
<p>HDCS2T2</p> 	<p>Combo Look S2/T2 Meter</p> <p>Combo Look S2/T2 - Spectrum-analyzer 2-900MHz and 950-2150MHz Presents full range and expanded spectrum. Very high accuracy, CATV +/-1dB, SAT-TV +/- 1.5dB at 20Â°C. Digital BER, MER and S/N(C/N)-ratio DVB-S/S2. Digital BER, MER and S/N(C/N)-ratio DVB-T/T2. DVB-S FTA receiver with picture (MPEG-2). DVB-T FTA receiver with picture (MPEG-2). Automatic Satellite identification. Readout of NIT - gives SAT ID and TV/Radio-channel info. QPSK and 8PSK constellation diagram for DVB-S/S2. Aerial power output, 0, 12, 18 and 24V. LNB voltage 13/18V, 22KHz tone switch, Sat-CR control. DiSEqC according to level 1.0, 1.1 and 1.2. Lots of memory positions for spectrum pictures. RS232 for PC-connection (up/download). Rechargeable Li-Ion battery. Nice & small, only 4Kg complete with carrying case</p> <p>Brand: Emitor</p> <p>Remarks: Power Supply Included</p>
<p>SATLK</p> 	<p>Emitor Sat Look Micro HD</p> <p>Sat Look Micro HD - Measure DVB-S and DVB-S2 signals (920-2150MHz) Spectrum-analyzer with zoom function EasyFind satellite identification for faster installations Super bright LCD display Very sensitive, easy to maximize weak and strong signals Digital MER, BER, QPSK (DVB-S), 8PSK (DVB-S2) and S/N-ratio Readout NIT -gives Satellite ID and TV/Radio-channel info X-pol. function for optimize LNB skew DiSEqC according to level 1.0, 1.1 and 1.2 LNB voltage 13/18V, 22KHz tone switch Stores up to 99 memory positions RS232 for PC-connection (up/download) Built in, rechargeable battery Nice & small, only 1,5Kg complete with carrying case</p> <p>Brand: Emitor</p>
<p>SH-100HD</p> 	<p>Satellite Finder Meter - Optus D1 Model</p> <p>Digital satellite meter/finder, HD DVB-S/S2, Display POWER, C/N, Quality value Pre set for Optus D1 (Freeview /Sky) all Horz Transponders loaded. Clear and easy to read LCD Signal Lock audio tone Function operation and Signal Lock Light Indicator Lights for 13/18 volts Indicator lights for 22 KHz LNB short-circuit protection Powered from STB. The best simple easy satellite finder.</p> <p>Brand: SV</p> <p>Size: 13.5 x 4.8 x 2.5cm Remarks: Weight 0.09Kg</p>

<p>307967</p> 	<p>Triax Optical Power Meter</p> <p>TOM 011 Optical Level Meter - An Optical Level Meter is an indispensable tool for any Installer running Fibre Optical cables of any sort. Only by actually measuring the result and quality of the installed cable immediately upon installing it, You can be certain that it will work as expected, when powering on the system. Reduces post-installation fault finding to a minimum.</p> <p>Display of measured values in dBm or mW Suitable for different wavelengths: 850, 1300, 1310, 1490, 1550 and 1625 nm Facilitates troubleshooting Backlit, easy to read display</p>	<p>Brand: Triax</p> <p>UPC5702663079670</p>
<p>SB555554</p> 	<p>Fusion Fibre Splicer</p> <p>The EasySplicer is a Swedish made Fusion Splicer, designed for working daily with fiber optic installations. It's small and handy to bring along to any kind of work. The construction is made very rugged and even if splicing should take place under good conditions (indoors) it is still designed to be used out in the field.</p> <p>The EasySplicer is truly a grand innovation for making Fiber optic Networks. It will revolutionise the ease to build such networks and it will cut the costs for the customers which will generate more work for the installers!</p>	<p>Remarks: Optical Connection FC/PC</p>