


## I. Multiswitches/ Distribution

<b>MULTISWITCH</b>	<b>Multiswitch and Distribution Category Index</b>
	<p>I. Multiswitches and Distribution (Digital Distribution Modules)</p> <ul style="list-style-type: none"> <li>i.1 Digital Modules</li> <li>i.2 Multiswitches</li> </ul> <p style="text-align: right;"><b>Remarks:</b> Page 1 of 7</p>

### i.1 Digital Modules

<b>CDM8</b>	<b>Commercial 8 Way Distribution System</b>	
	<p>Commercial Version of our popular DDM8 System.</p> <p>Features:</p> <ul style="list-style-type: none"> <li>Can be powered from any of the TV outlets or from the 18VDC input.</li> <li>Switch to select 12VDC to power Masthead Amps.</li> <li>Separate Satellite / Terrestrial or combined input.</li> <li>COFDM Digital Modulator input.</li> <li>Designed for New Zealand and Digital Television.</li> <li>&lt;= 1dBuV loss</li> </ul> <p><b>Size:</b> 140 x 120 x 43mm     <b>Remarks:</b> 18VDC PSU</p>	<p><b>Brand:</b> SV</p> <p><b>Bulk Qty Available:</b> <input checked="" type="checkbox"/></p> <p><b>QTY'S</b> 10+,30+</p>

<b>DDM4</b>	<b>Digital Distribution Module 4 Way</b>	
	<p>Digital 4 basic Multiswitch is a cost effective way to distribute satellite, Digital TV and an RF return around your home.</p> <p>The Digital 4 is available as a standalone multiswitch or with a flush mounting cabinet. (350 x 275 x 90mm) -DDM8CAB</p> <p>No Loss +/-1dBuV per leg. - 18VDC F-Type power supply included.</p> <p><b>Remarks:</b> Subscriber outputs x 4</p>	<p><b>Brand:</b> Starview</p> <p><b>Bulk Qty Available:</b> <input checked="" type="checkbox"/></p> <p><b>QTY'S</b> 10+,30+</p>

<b>DDM8</b>	<b>Digital Distribution Module 8 Way</b>	
	<p>Digital 8 basic Multiswitch is a cost effective way to distribute satellite, Digital TV and a RF return around your home.</p> <p>The Digital 8 is available as a standalone multiswitch or with a flush mounting cabinet. (350 x 275 x 90mm) DDM8CAB</p> <p>No Loss +/- 1dBuV per Leg 18VDC F-Type Power Supply included</p> <p><b>Remarks:</b> Subscriber outputs x 8</p>	<p><b>Brand:</b> Starview</p> <p><b>Bulk Qty Available:</b> <input checked="" type="checkbox"/></p> <p><b>QTY'S</b> 10+,30+</p>

<b>DDM8BRK</b>	<b>DDM8 Bracket</b>	
	<p>Bracket for mounting DDM4 or DDM8 in Signet style Cabinet.</p>	<p><b>Brand:</b> SV</p>

<b>DDM8CAB</b>	<b>Flush mount cabinet for DDM8 module</b>	
	<p>Flush mount Cabinet for DDM8 and DDM4 Multiswitch.</p> <p>Complete with Hinged Door</p>	<p><b>Brand:</b> SV</p>

<p><b>IKU0116</b></p> 	<p><b>Ikusi 16 Way Active MS Distribution Tap -Line/remote powered</b></p> <p>ACTIVE MS TAP/          Low cost high performance, proven technology for SMATV distribution          Distribution of 1 satellite - multiple polarizations and 1 terrestrial signal          Active satellite &amp; terrestrial with continuous gain adjustments 0-14dB          Slope Adjustment 11dB          Satellite &amp; Terrestrial path supplied to all user receivers &amp; Televisions          DC Pass through option to source - Switchable with LED indicator          Remote power options through port 8 - DC Socket or from Coax Line          16 Ports - 8 per side.</p> <p><b>Size:</b> 270 x 125 x 54mm      <b>Remarks:</b> FoxTel Approved</p>	<p><b>Brand:</b> Ikusi</p>
<p><b>IKU0132</b></p> 	<p><b>Ikusi 32 Way Active MS Distribution Tap -Line/remote powered</b></p> <p>ACTIVE MS TAP/          Low cost high performance, proven technology for SMATV distribution          Distribution of 1 satellite - multiple polarizations and 1 terrestrial signal          Active satellite &amp; terrestrial with continuous gain adjustments 0-14dB          Slope Adjustment 11dB          Satellite &amp; Terrestrial path supplied to all user receivers &amp; Televisions          DC Pass through option to source - Switchable with LED indicator          Remote power options through port 16 - DC Socket or from Coax Line          32 Ports - 16 per side.</p> <p><b>Size:</b> 470 x 125 x 54mm      <b>Remarks:</b> FoxTel Approved.</p>	<p><b>Brand:</b> Ikusi</p>

## i.2 Multiswitches

<p><b>318601</b></p> 	<p><b>TMS/CKR 5x6 S Multiswitch</b></p> <p>Standalone multiswitch for 1 Satellite position with 5 inputs and 6 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x6 S offers excellent performance and flexibility, with a compact design for installations even in confined spaces.</p> <p><b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p>
<p><b>318608</b></p> 	<p><b>TMS/CKR PRO 5x8 S Multiswitch</b></p> <p>Standalone 5 Pro Multiswitches          8, 12, 16, 24, 32 outputs Versions</p> <p>Standalone multiswitch range for 1 Satellite position with 5 inputs and 8 to 32 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. The TMS 5 S PRO series offers excellent performance, with the ability to adjust input and output levels, and a compact design for installations even in confined spaces</p> <p>SAT Subscriber gain with 5dB slope 0...+5 ± 2dB          TER Subscriber loss TER active / TER passive 0 ± 2dB / 25 ± 2dB          Input level control TER /SAT 0-15dB (TER active) / 0-10dB</p> <p><b>Size:</b> 285 x 225 x 60mm      <b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax  <b>Bulk Qty Available:</b> <input checked="" type="checkbox"/>  <b>QTY'S</b> 10+,30+</p>

<a href="#">Satellite Reception</a>   <a href="#">Terrestrial Reception</a>   <a href="#">IPTV</a>   <a href="#">Dishes</a>   <a href="#">Amplifiers</a>   <a href="#">Receivers</a>   <a href="#">Headends</a>   <a href="#">Antennas</a>		
<b>318609</b>	<p><b>TMS/CKR PRO 5x12 S Multiswitch</b></p> <p>Standalone 5 Pro Multiswitches 8, 12, 16, 24, 32 outputs Versions</p> <p>Standalone multiswitch range for 1 Satellite position with 5 inputs and 8 to 32 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. The TMS 5 S PRO series offers excellent performance, with the ability to adjust input and output levels, and a compact design for installations even in confined spaces</p> <p>SAT Subscriber gain with 5dB slope 0...+5 ± 2dB TER Subscriber loss TER active / TER passive 0 ± 2dB / 27 ± 2dB Input level control TER /SAT 0-15dB (TER active) / 0-10dB</p> <p><b>Size:</b> 285 x 225 x 60mm      <b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p> <p><b>Bulk Qty Available:</b> <input checked="" type="checkbox"/></p> <p><b>QTY'S</b> 10+,30+</p>
<b>318610</b>	<p><b>TMS/CKR PRO 5x16 S Multiswitch</b></p> <p>Standalone 5 Pro Multiswitches 8, 12, 16, 24, 32 outputs Versions</p> <p>Standalone multiswitch range for 1 Satellite position with 5 inputs and 8 to 32 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. The TMS 5 S PRO series offers excellent performance, with the ability to adjust input and output levels, and a compact design for installations even in confined spaces</p> <p>SAT Subscriber gain with 5dB slope 0...+5 ± 2dB TER Subscriber loss TER active / TER passive 0 ± 2dB / 27 ± 2dB Input level control TER /SAT 0-15dB (TER active) / 0-10dB</p> <p><b>Size:</b> 285 x 225 x 60mm      <b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p> <p><b>Bulk Qty Available:</b> <input checked="" type="checkbox"/></p> <p><b>QTY'S</b> 10+,30+</p>
<b>318611</b>	<p><b>TMS/CKR PRO 5x24 S Multiswitch</b></p> <p>Standalone 5 Pro Multiswitches 8, 12, 16, 24, 32 outputs Versions</p> <p>Standalone multiswitch range for 1 Satellite position with 5 inputs and 8 to 32 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. The TMS 5 S PRO series offers excellent performance, with the ability to adjust input and output levels, and a compact design for installations even in confined spaces</p> <p>SAT Subscriber gain with 5dB slope 0...+5 ± 2dB TER Subscriber loss TER active / TER passive 0 ± 2dB / 33 ± 2dB Input level control TER /SAT 0-15dB (TER active) / 0-10dB Output level control via switch 0dB / -6dB / -12dB</p> <p><b>Size:</b> 385 x 225 x 60mm      <b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p> <p><b>Bulk Qty Available:</b> <input checked="" type="checkbox"/></p> <p><b>QTY'S</b> 10+,30+</p>

<p><b>318612</b></p> 	<p><b>TMS/CKR PRO 5x32 S Multiswitch</b></p> <p>Standalone 5 Pro Multiswitches 8, 12, 16, 24, 32 outputs Versions</p> <p>Standalone multiswitch range for 1 Satellite position with 5 inputs and 8 to 32 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. The TMS 5 S PRO series offers excellent performance, with the ability to adjust input and output levels, and a compact design for installations even in confined spaces</p> <p>SAT Subscriber gain with 5dB slope 0...+5 ± 2dB TER Subscriber loss TER active / TER passive 0 ± 2dB / 33 ± 2dB Input level control TER /SAT 0-15dB (TER active) / 0-10dB Output level control via switch 0dB / -6dB / -12dB</p> <p><b>Size:</b> 385 x 225 x 60mm</p>	<p><b>Brand:</b> Triax</p> <p><b>Bulk Qty Available:</b> <input checked="" type="checkbox"/></p> <p><b>QTY'S</b> 10+,30+</p>
<p><b>318613</b></p> 	<p><b>Triax TMS 5x8 C Cascade Commercial MultiSwitch</b></p> <p>Cascade multiswitch for 1 Satellite position with 5 inputs and 5 trunk outputs, suitable for distributing satellite and terrestrial signals in small to large sized systems. Available with 8 subscriber outputs and powered by the TMS PSU external power supply either directly or via the SAT trunk lines. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. European IRS Certification Scheme: TMS 5 Input Cascade Multiswitches and Amplifiers are certified to the EICS scheme, demonstrating the high quality of the solution and compatibility with all major satellite and TV platforms. The TMS 5x8 C offers excellent performance and flexibility, with a compact design for installations even in confined spaces.</p> <p>Excellent performance Low insertion loss High isolation Low power consumption RED compliant ESD Protection Flexibility</p> <p>All the functionality you need in a simplified, streamlined range: Easier to select the right product Fewer products to stock Quad and Quattro LNB compatible Active/Passive Terrestrial Switch Convenience Designed with installer convenience in mind: Equidistant F-connectors on all multiswitches Colour-coded input labels LED power indicator</p>	<p><b>Brand:</b> Triax</p>
<p><b>318621</b></p> 	<p><b>TMS/CKR 5x8 S Multiswitch</b></p> <p>Standalone multiswitch for 1 Satellite position with 5 inputs and 8 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x8 S offers excellent performance and flexibility, with a compact design for installations even in confined spaces.</p> <p><b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p>

Satellite Reception   Terrestrial Reception   IPTV   Dishes   Amplifiers   Receivers   Headends   Antennas		
<p><b>318622</b></p> 	<p><b>TMS/CKR 5x12 S Multiswitch</b></p> <p>Standalone multiswitch for 1 Satellite position with 5 inputs and 12 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems.</p> <p>Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x12 S BS offers excellent performance and flexibility, with a compact design for installations even in confined spaces.</p> <p><b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p>
<p><b>318623</b></p> 	<p><b>TMS/CKR 5x16 S BS Multiswitch</b></p> <p>Standalone multiswitch for 1 Satellite position with 5 inputs and 16 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems.</p> <p>Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x16 S BS offers excellent performance and flexibility, with a compact design for installations even in confined spaces.</p> <p>Excellent performance</p> <p><b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p>
<p><b>318624</b></p> 	<p><b>TMS/CKR 5x24 S BS Multiswitch</b></p> <p>Standalone multiswitch for 1 Satellite position with 5 inputs and 24 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems.</p> <p>Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x24 S BS offers excellent performance and flexibility, with a compact design for installations even in confined spaces.</p> <p>Excellent performance</p> <p><b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p>
<p><b>318625</b></p> 	<p><b>TMS/CKR 5x32 S BS Multiswitch</b></p> <p>Standalone multiswitch for 1 Satellite position with 5 inputs and 32 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems.</p> <p>Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 5x32 S BS offers excellent performance and flexibility, with a compact design for installations even in confined spaces.</p> <p>Excellent performance</p> <p><b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p> <p><b>UPC</b> 5702663186255</p>
<p><b>318640</b></p> 	<p><b>Triax TMSA 5 Multiswitch Line Amp</b></p> <p>The TMSA 5 Line Amp, with 5 inputs and 20dB gain, compensates for the cable loss in your designed multiswitch systems.</p> <p>Powered directly via the DC input port, or line powered via all Sat lines.</p> <p>European IRS Certification Scheme: TMS 5 Input Cascade Multiswitches and Amplifiers are certified to the EICS scheme, demonstrating the high quality of the solution and compatibility with all major satellite and TV platforms.</p>	<p><b>Brand:</b> Triax</p>
<p><b>318643</b></p> 	<p><b>TMST 5x2 TAP EB, 5 Input 2 Way Tap, attenuation 12-30 dB, Earth Bond Bars</b></p> <p>systems to split the received signals to several trunk lines.</p> <p>Attenuation of 12-30dB can be selected using a rotary attenuator to adjust the tap output to the required signal level. Supplied with earth bars.</p> <p>Power can be inserted on the DC input, or line powered via any of the Sat ports</p>	<p><b>Brand:</b> Triax</p>

<a href="#">Satellite Reception</a>   <a href="#">Terrestrial Reception</a>   <a href="#">IPTV</a>   <a href="#">Dishes</a>   <a href="#">Amplifiers</a>   <a href="#">Receivers</a>   <a href="#">Headends</a>   <a href="#">Antennas</a>		
<p><b>318644</b></p> 	<p><b>TMSS 5 SPLIT EB - 5 Wire 2 way splitter</b></p> <p>The TMSS 5 SPLIT EB is a 5-input splitter designed to be used in cascade systems to split the received signals to several trunk lines. Supplied with earth bars. Power can be inserted on the DC input, or line powered via any of the Sat ports.</p> <p>Insert Loss TER 4 ± 1dB SAT 6 ± 1dB DC pass - SAT Inputs to SAT Outputs, Bi-directional TER no DC pass</p> <p><b>Size:</b> 200 x 140 x 65mm      <b>Remarks:</b> 6 Year Warranty</p>	<p><b>Brand:</b> Triax</p>
<p><b>318704</b></p> 	<p><b>TMS/CKR 9x16 - indent</b></p> <p>Standalone multiswitch for 2 Satellite positions with 9 inputs and 16 outputs, suitable for distributing satellite and terrestrial signals in small and medium sized systems. Dependability guaranteed: a 6-year warranty is our guarantee that TRIAX's core values of reliability and innovation are the foundation of our new multiswitches. The TMS/CKR 9x16 S offers excellent performance and flexibility, with a compact design for installations even in confined spaces.</p> <p>Excellent performance Low insertion loss High isolation Low power consumption RED compliant ESD Protection Flexibility</p> <p>All the functionality you need in a simplified, streamlined range: Easier to select the right product Fewer products to stock Active/Passive Terrestrial Switch Convenience</p> <p>Designed with installer convenience in mind: Equidistant F-connectors on all multiswitches Colour-coded input labels LED power indicator</p>	<p><b>Brand:</b> Triax</p>
<p><b>MS406P</b></p> 	<p><b>Starview 5 x 6 Multiswitch With Power Supply</b></p> <p>MS406P 5 x 6 Multiswitch with 22KHz Tone Outputs and +/- 2dB of Insertion Loss Starview Multiswitches are built to a high standard and come complete with full wiring digrams. They are designed to deliver the least loss on your digital system. All versions require power supplies and are supplied with a plug pack. Plug packs are connected to the multiswitch via an F Connector allowing you to have the power supply in a separate location to the multiswitch.</p> <p><b>Remarks:</b> Subscriber outputs 6</p>	<p><b>Brand:</b> Starview</p> <p><b>Bulk Qty Available:</b> <input checked="" type="checkbox"/></p> <p><b>QTY'S</b> 10+</p>
<p><b>MS408P</b></p> 	<p><b>Starview 5 x 8 Multiswitch With Power Supply</b></p> <p>MS408P 5 x 8 Multiswitch with 22KHz Tone Outputs and +/- 2dB of Insertion Loss Starview Multiswitches are built to a high standard and come complete with full wiring digrams. They are designed to deliver the least loss on your digital system. All versions require power supplies and are supplied with a plug pack. Plug packs are connected to the multiswitch via an F Connector allowing you to have the power supply in a separate location to the multiswitch.</p> <p><b>Remarks:</b> Subscriber outputs 8</p>	<p><b>Brand:</b> Starview</p> <p><b>Bulk Qty Available:</b> <input checked="" type="checkbox"/></p> <p><b>QTY'S</b> 10+</p>

### MS412P

### Starview 5 x 12 Multiswitch With power Supply



MS412P 5 x 12 Multiswitch with 22KHz Tone Outputs and +/- 2dB of Insertion Loss  
Starview Multiswitches are built to a high standard and come complete with full wiring diagrams.

They are designed to deliver the least loss on your digital system.

All versions require power supplies and are supplied with a plug pack.

Plug packs are connected to the multiswitch via an F Connector allowing you to have the power supply in a separate location to the multiswitch.

**Brand:** Starview

**Bulk Qty Available:**

**QTY'S** 10+

**Remarks:** Subscriber outputs 12